SOUTHERN PACIFIC COMPANY

(PACIFIC LINES)

TIME TABLE

FOR THE

RIO GRANDE DIVISION

15

To Take Effect Sunday, May 3, 1931, at 12:01 A. M.

MOUNTAIN STANDARD TIME (105th MERIDIAN)

For the government and information of employes only

F. L. BURCKHALTER,
General Manager

R. L. RUBY,
Superintendent of Transportation

A. E. SWEET,
Assistant General Manager

H. S. FAIRBANK,
Superintendent

EASTWARD — MESCAL SUBDIVISION — WESTWARD

Capacity of Sidings in Car Lengths	SECOND CLASS						FIRST CLASS		Distance from San Francisco	Time Table No. 15 May 3, 1931 STATIONS		Distance from Douglas	FIRST CLASS				THIRD CLASS			
	326	168	166	312	190	310	4	12					101	3	103	11	417	189	165	167
	Freight	Mixed	Mixed	Freight	Local Freight	Freight	Golden State Limited	Apache					Sunset Limited	Golden State Limited	Argonaut	Apache	Local Freight	Local Freight	Mixed	Mixed
	Leave Daily	Leave Tues. Fri.	Leave Mon. Thurs.	Leave Daily	Leave Mon. Wed. Fri.	Leave Daily	Leave Daily	Leave Daily					Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Tues. Thurs. Sat.	Arrive Tues. Thurs. Sat.	Arrive Mon. Thurs.	Arrive Wed. Sat.
Yard	See Tucson Division Time Table								983.9	TO-R TUCSON	Track No. 1	123.2	s 3.10AM	s 4.45PM	s 6.40PM	s 6.50PM	2.30PM	5.20PM		
									984.7	0.8 T. & N. R. R. JCT.		122.4								
Spur 2									987.4	2.7 POLVO		119.7	3.00	4.35	6.30	6.40	2.11	5.01		
P									990.2	2.8 SOUTH YARD JCT.		116.9								
77 P									993.7	3.5 CRUZ		113.4	2.51	4.26	6.21	f 6.31	1.58	4.48		
77 WP									997.8	4.1 RITA		109.3	2.45	4.20	6.15	f 6.25	1.49	4.39		
76 P									1003.7	5.9 VAIL		103.4	2.36	4.11	6.06	f 6.16	1.37	4.25		
77 P									1007.4	3.7 EMPIRE		99.7	2.30	**4.06**	6.00	f 6.10	1.25	**4.06**		
68 WP									1012.9	5.5 MARSH		94.2	2.22	3.58	5.52	f 6.01	1.12	3.41		
77 P									1017.7	4.8 CATALINA		89.4	2.15	3.51	5.45	f 5.53	1.01	3.28		
Ewd. 94 IYPC Westward 81	6.31PM			9.07AM	8.45AM	3.01AM	12.10PM	4.50AM	1023.6 1022.2	4.6 TO-R MESCAL		84.8	2.07AM	3.43	5.37	5.45PM	12.50PM	3.15		
76 P	6.39			9.15	8.51	3.09	12.13	f 4.53	1024.5	2.3 MIRAMONTE	A. B. S.	82.5		3.39	f 5.33			3.01		
77 WP	6.47			9.23	9.01	3.17	12.18	f 4.58	1028.6	4.1 WHETSTONE		78.4		3.33	f 5.27			2.40		
85 P	7.00			9.35	9.16	3.30	12.27	f 5.07	1035.5	6.9 SAN JUAN		71.5		3.24	f 5.17			2.19		
77 P	7.14			9.48	9.32	3.44	12.36	f 5.17	1043.1	7.6 BOQUILLAS		63.9		3.14	f 5.06			1.51		
P	7.20	12.24PM	11.49AM	9.54	9.40	3.50	12.40	5.21	1046.4	3.3 BENSON JCT.		60.6		3.10	5.01			1.45	s 2.31PM	s 2.31PM
									1047.8	1.4 N. M. & A. JCT.		59.2								
77 WYKP	7.35	s 12.30PM	s 11.55AM	**10.10**	**9.46** **10.15**	4.05	f **12.49**	s 5.29	1048.2	0.4 TO-R FAIRBANK		58.8		f 3.07	s 4.58			**1.30** **12.40**	2.25PM	2.25PM
73 P	7.48			10.22	10.27	4.18	12.58	f 5.38	1054.7	6.5 CHARLESTON		52.3		2.55	f 4.43			12.23		
N. 77 WYPK South 33	7.57			10.30	10.35	4.27	s 1.08	f 5.44	1058.8	4.1 TO LEWIS SPRINGS		48.2		2.49	s 4.36			12.10PM		
79 P	8.09			10.43	11.00	4.39	1.16	f 5.53	1064.9	6.1 SAN PEDRO		42.1		2.41	f 4.25			11.54AM		
78 WP	8.18			10.55	11.30AM	4.48	1.22	f 5.59	1069.0	4.1 TO HEREFORD		38.0		2.35	f 4.18			11.43		
76 P	8.35			**11.12**	12.01PM	5.05	1.30	f 6.08	1075.1	6.1 STARK		31.9		2.27	f 4.08			**11.12**		
North 68 P South 68	8.52			11.23	12.30	5.22	1.38	s 6.16	1080.9	5.8 NACO		26.1		2.20	s 3 58			10.55		
69 WYPC Yard	9.10			11.41	1.10	5.40	s 1.50	s 6.29	1085.0	4.1 TO BISBEE JUNCTION		22.0		s 2.14	s 3.49			10.30		
78 P	9.20			11.51AM	1.23	5.50	**1.59**	f 6.37	1089.7	4.7 CROOK		17.3		**1.59**	3.29			9.40		
Spur 18									1093.5	3.8 SILICA		13.5								
78 WP	9.35			12.07PM	**1.47**	6.05	2.08	f 6.46	1096.9	3.4 FORREST		10.1		**1.47**	f 3.17			9.05		
72 P	9.50			12.34	**2.17**	6.20	**2.17**	6.55	1104.3	7.4 CALUMET		2.7		1.38	f 3.05			8.30		
Yard WFYTBKP	10.00PM			12.45PM	2.35PM	6.30AM	s 2.22PM	s 7.00AM	1107.0	2.7 TO-R DOUGLAS		0.0		1.33PM	3.00PM			8.20AM		
	Arrive Daily	Arrive Tues. Fri.	Arrive Mon. Thurs.	Arrive Daily	Arrive Mon. Wed. Fri.	Arrive Daily	Arrive Daily	Arrive Daily		123.2			Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Tues. Thurs. Sat.	Leave Tues. Thurs. Sat.	Leave Mon. Thurs.	Leave Wed. Sat.
	(3.29) 24.35	(0.06) 18.00	(0.06) 18.00	(3.38) 23.36	(5.50) 14.53	(3.29) 24.35	(2.12) 38.54	(2.10) 39.13		............Time Over District.......... ......Average speed per hour......			(1.03) 36.57	(3.12) 38.50	(3.40) 33.60	(1.05) 35.44	(1.40) 23.04	(9.00) 13.60	(0.06) 18.00	(0.06) 18.00

Trains except first class, must move with caution between Douglas and west Switch Calumet and lookout for yard engines occupying main track.

ADDITIONAL FLAG STOPS TO RECEIVE OR DISCHARGE PASSENGERS

Train	At	Receive or Discharge	TO (or Beyond)	FROM (or Beyond)	Frequency
103	Any Station	Receive	Yuma		Daily
103	Any Station	Discharge		East of El Paso	Daily
103	Any Station	Discharge	Mescal to Polvo, inc.		Daily

EASTWARD — HACHITA SUBDIVISION — WESTWARD

Capacity of Sidings in Car Lengths		SECOND CLASS					FIRST CLASS			Distance from San Francisco		Time Table No. 15 May 3, 1931	Distance from Anapra	FIRST CLASS			THIRD CLASS	
		326	312	126	310	124	8	4	12					3	103	7	125	123
		Freight	Freight	Local Freight	Freight	Local Freight	Mixed	Golden State Limited	Apache					Golden State Limited	Argonaut	Mixed	Local Freight	Local Freight
		Leave Daily	Leave Daily	Leave Tues., Thurs., Sat.	Leave Daily	Leave Thurs. only	Leave Daily	Leave Daily	Leave Daily		A. B. S.	STATIONS		Arrive Daily	Arrive Daily	Arrive Daily	Arrive Mon., Wed., Fri.	Arrive Wed. only
WFYTBKP Yard		10.50 PM	**1.27 PM**	7.45 AM	7.15 AM		9.00 PM	2.29 PM	**7.10 AM**	1107.0	TO-R	DOUGLAS	210.7	s **1.27 PM**	s 2.49 PM	s **7.10 AM**	1.22 PM	
70	P	11.15	1.50	8.05	7.40		f 9.26	**2.37**	7.18	1111.8		4.8 ACACIA	205.9	1.17	**2.37**	f 6.48	1.00	
77	P	11.33 PM	**2.26**	8.23	7.54		f 9.41	2.44	7.25	1115.7		3.9 LEE	202.0	1.12	**2.26**	f 6.38	12.47	
77	WP	12.05 AM	**2.53**	8.40	8.20		f 10.04	**2.53**	7.34	1121.1		5.4 CAZADOR	196.6	1.03	2.17	f 6.10	12.32	
77	P	12.20	3.07	8.56	8.35		f 10.17	3.02	7.43	1126.6		5.5 PERILLA	191.1	12.54	2.08	f 5.41	12.12	
77	P	12.29	3.14	9.05	8.48		f 10.26	3.07	7.48	1130.6		4.0 BERNARDINO	187.1	12.49	f 2.02	f 5.26	12.01 PM	
77	P	12.43	3.30	9.22	9.10		f 10.40	3.16	7.58	1137.7		7.1 CHIRICAHUA	180.0	12.40	f 1.52	f 5.01	11.43 AM	
77	WP	1.01	3.54	9.43	9.35		f 10.57	3.27	8.09	1147.1		9.4 APACHE	170.6	12.29	f 1.41	f 4.34	11.25	
77	P	1.12	4.05	9.57	9.45		f 11.07	3.33	8.16	1152.7		5.6 MORA	165.0	12.23	1.34	f 4.15	11.14	
107	WPC	1.32	4.21	10.30	10.05		s 11.27	3.45	s 8.29	1158.7	TO	6.0 RODEO	159.0	12.16	s 1.27	s 4.01	11.03	
77	P	1.45	4.31	10.48	10.17		f 11.39	3.52	8.36	1163.9		5.2 APAN	153.8	12.06 PM	1.17	f 3.35	10.53	
45	P	1.59	4.47	11.07	**10.38**		f 11.54 PM	4.02	8.46	1170.5		6.6 PRATT	147.2	11.56 AM	1.07	f 3.20	**10.38**	
56	P	2.10	4.59	11.25	10.50		f 12.04 AM	4.08	8.52	1175.9	TO	5.4 ANIMAS	141.8	11.50	f 1.00	f 3.06	10.20	
77	WP	2.21	5.14	**11.44 AM**	11.01		f 12.15	4.14	8.58	1181.4		5.5 ANTELOPE	136.3	**11.44**	12.54	f 2.54	10.06	
77	P	**2.40**	5.32	12.01 PM	11.13		f 12.29	4.22	9.06	1187.8		6.4 PLAYAS	129.9	11.36	12.46	f **2.40**	9.51	
77	P	2.55	5.46	12.15	**11.30**		f 12.45	4.28	9.12	1193.4		5.6 GRADE	124.3	**11.30**	12.40	f 2.28	9.38	
81	P	3.10	6.01	**12.35**	11.45		f 12.59	4.34	**9.18**	1198.1		4.7 VISTA	119.6	11.25	**12.35**	f 2.18	**9.18**	
77	P	3.18	6.09	12.45	11.56 AM		f 1.12	4.40	9.24	1202.9		4.8 MINERO	114.8	11.19	12.29	f 2.08	9.01	
79	WFYKP Yard	3.55	6.40	1.00 PM	**12.08 PM** **12.40**	7.00 AM	s **1.25** **2.10**	4.45	f 9.29	1206.3	TO-R	3.4 HACHITA	111.4	11.15	s **12.25**	s **2.00**	8.50 AM	1.35 PM
77	P	4.12	7.07		**1.15**	7.28	f 2.40	4.53	9.38	1212.6		6.3 CONTINENTAL	105.1	11.08	12.15	f 1.16		**1.15**
77	P	4.22	7.18		1.26	7.40	f 2.52	4.59	9.44	1218.1		5.5 VICTORIO	99.6	11.02	12.08 PM	f 1.05		12.56
73	P	4.35	7.30		1.40	7.56	f 3.08	5.07	9.52	1225.6		7.5 SAVOYA	92.1	10.54	11.59 AM	f 12.50		12.37
36	WYP	4.48	7.45		1.51	8.09	f 3.21	5.14	9.59	1230.9		5.3 HERMANAS	86.8	10.47	11.52	f 12.38		12.24
77	P	4.58	7.56		2.01	8.21	f 3.33	5.20	10.05	1236.0		5.1 FORD	81.7	10.41	11.46	f 12.26		12.10 PM
77	P	5.12	8.09		2.15	8.40	f 3.47	5.28	10.13	1242.9		6.9 MIMBRES	74.8	10.33	11.37	f 12.12 AM		11.49 AM
86	WPC	5.35	8.35		2.35	9.25	s 4.20	5.40	s **10.23** 10.29	1250.3	TO	7.4 COLUMBUS	67.4	**10.23**	s **11.26**	s 11.50 PM		**11.26**
77	P	5.48	8.46		2.47	9.42	f 4.35	5.48	**10.38**	1256.8		6.5 MIRIAM	60.9	10.11	11.12	f 11.18		**10.38**
78	P	6.01	9.07		2.59	**10.04**	f 4.49	5.55	10.47	1263.6		6.8 ARENA	54.1	**10.04**	11.04	f 11.06		10.09
77	P	6.10	9.21		3.09	10.26	f 5.00	6.02	**10.57**	1268.9		5.3 ALTAIR	48.8	**9.57**	**10.57**	f 10.55		**9.57**
75	P	6.20	9.32		3.20	**10.51**	f 5.12	6.09	11.05	1274.5		5.6 MALPAIS	43.2	9.51	**10.51**	f 10.44		9.38
78	P	6.27	9.40		3.27	**11.10**	f 5.21	6.14	**11.10**	1278.5		4.0 MONUMENT	39.2	9.46	10.46	f 10.35		9.29
77	WP	6.41	9.54		3.39	11.35 AM	f 5.36	6.22	11.19	1285.6		7.1 MT. RILEY	32.1	9.38	10.38	f 10.21		9.10
78	P	6.51	**10.10**		3.50	12.01 PM	f 5.48	6.29	11.26	1291.2		5.6 POTRILLO	26.5	9.31	10.31	f **10.10**		8.57
78	WP	7.08	10.38		4.05	12.22	f 6.09	6.38	11.37	1299.0		7.8 NORIA	18.7	9.22	10.22	f 9.54		8.40
77	P	7.28	10.58		4.23	12.50	f 6.35	6.49	11.50 AM	1308.9		9.9 MASTODON	8.8	9.11	10.11	f 9.24		8.15
77	P	**7.45 AM**	11.18 PM		4.40 PM	1.10 PM	f 7.00 AM	7.02 PM	12.04 PM	1317.7	TO-R	8.8 ANAPRA Junction Deming Subdivision	0.0	8.59 AM	9.59 AM	9.04 PM		**7.45 AM**
		Arrive Daily	Arrive Daily	Arrive Tues. Thurs. Sat.	Arrive Daily	Arrive Thurs. only	Arrive Daily	Arrive Daily	Arrive Daily			(210.7)		Leave Daily	Leave Daily	Leave Daily	Leave Mon., Wed., Fri.	Leave Wed. only
		(8.55)	(9.51)	(5.15)	(9.25)	(6.10)	(10.00)	(4.33)	(4.54)			Time Over District		(4.28)	(4.50)	(10.06)	(4.32)	(5.50)
		23.62	21.39	18.91	22.37	18.06	21.07	46.30	43.00			Average speed per hour		47.17	43.59	20.86	21.90	19.09

Schedule time and train orders apply as follows:

Anapra—Westward trains—WEST switch of EAST crossover;

Eastward trains—EAST switch of WEST crossover;

(Deming Subdiv.)

Eastward trains—EAST switch of EAST crossover.

(Hachita Subdiv.)

Additional Stations:
Silver Creek 1124.2
Pot Hook 1194.8

ADDITIONAL FLAG STOPS TO RECEIVE OR DISCHARGE PASSENGERS

Train	At	Receive or Discharge	To (or Beyond)	From (or Beyond)	Frequency
7	Pot Hook	Receive or Discharge	Any Station	Any Station	Daily
8	Pot Hook	Receive or Discharge	Any Station	Any Station	Daily
7	Silver Creek	Receive or Discharge	Any Station	Any Station	Daily
8	Silver Creek	Receive or Discharge	Any Station	Any Station	Daily
103	Any Station	Discharge		East of El Paso	Daily
103	Any Station	Receive	Yuma		Daily
103	Any Station	Receive	Mescal to Polvo, inc.,		Daily
3 & 4	Hachita	Receive or Discharge	Los Angeles. Dalhart	Los Angeles. Dalhart	Daily
12	Any Station	Discharge		Forrest	Daily
12	Any Station	Receive	El Paso		Daily

NOTE: Flag stops on schedule No. 103 at Animas, Apache, Chiricahua, Bernardino and No. 12 at Hachita are for revenue passengers only.

EASTWARD

DEMING SUBDIVISION

Capacity of Sidings in Car Lengths	SECOND CLASS									FIRST CLASS					Distance from San Francisco			Time Table No. 15 May 3, 1931	
	312	412	310	410	414	124	176	326	426	4	104	12	102	8					
	Freight	Freight	Freight	Freight	Local Freight	Local Freight	Freight	Freight	Freight	Golden State Limited	Argonaut	Apache	Sunset Limited	Mixed					
	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Tues., Sat.	Leave Thurs. Only	Leave Sun. Only	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily				STATIONS	
Yard WFYTPBK		4.35PM		6.55AM	6.40AM		6.40AM		12.01AM		3.20PM		6.18AM		1148.3		TO-R	LORDSBURG	
70 P		4.46		7.06	6.52		6.52		12.12		f 3.28		6.25		1153.0			4.7 ULMORIS	
66 P		5.00		7.20	7.02		7.02		12.24		f 3.36		6.32		1159.0			6.0 LISBON	
70 P		5.25		7.45	7.14		7.14		12.44		f 3.44		6.39		1164.4			5.4 HAWKINS	
107 WP		5.50		8.03	7.20		7.20		1.05		f 3.50		6.44		1168.0		TO	3.6 SEPAR	
71 P		6.05		8.23	7.32		7.32		1.18		f 3.58		6.51		1173.8			5.8 LADIM	
70 P		6.16		8.35	7.47		7.47		1.30		f 4.06		6.57		1179.6			5.8 WILNA	
71 P		6.23		8.41	8.03		7.59		1.36		f 4.11		7.01		1183.5			3.9 QUINCY	
70 WP		6.32		8.49	8.13		8.07		1.44		f 4.17		7.07		1188.5		TO	5.0 GAGE	
100 P		6.42		8.57	8.22		8.15		1.52		f 4.24		7.12		1193.2			4.7 MONGOLA	
70 P		6.53		9.07	8.34		8.25		2.02		f 4.32		7.19		1199.6			6.4 TUNIS	
70 P		7.00		9.13	8.41		8.31		2.08		f 4.37		7.23		1203.3			3.7 PARMA	
70 P		7.05		9.18	9.01		8.36		2.13		4.40		7.26		1206.1			2.8 CAMP CODY	
240 PWYC		7.31		9.58	9.13 10.08		8.52AM		2.36		s 4.55		s 7.40		1208.0		TO	1.9 DEMING	
70 P		7.43		10.13	10.23				2.48		f 5.02		7.47		1212.5			4.5 LUXOR	
71 P		7.54		10.23	10.33				2.58		f 5.10		7.54		1218.9			6.4 CARNE	
Spur 11											f				1222.0			3.1 MIESSE	
70 P		8.06		10.35	10.45				3.09		f 5.19		8.01		1225.7			3.7 MYNDUS	
108 WP		8.23		10.43	10.53				3.17		f 5.24		8.06		1229.6			3.9 AKELA	
66 P		8.30		10.51	11.01				3.25		f 5.30		8.11		1233.9	A. B. S.	TO	4.3 CAMBRAY	
66 P		8.38		10.59	11.09				3.33		f 5.36		8.16		1238.4			4.5 DONA	
107 P		8.46		11.07	11.32				3.41		f 5.41		8.21		1243.0			4.6 CHAPPEL	
80 P		8.59		11.26	11.54AM				3.53		f 5.47		8.26		1247.4			4.4 ADEN	
71 P		9.06		11.51	12.01PM				4.00		f 5.52		8.31		1251.3			3.9 PRONTO	
71 P		9.12		11.58AM	12.09				4.05		f 5.56		8.35		1254.6			3.3 KENZIN	
107 WOP		9.34		12.20PM	12.48				4.18		f 6.07		8.46		1259.4		TO	4.8 AFTON	
70 P		9.45		12.36	12.57				4.29		f 6.14		8.53		1264.7			5.3 RUTTER	
107 P		9.54		12.46	1.06				4.37		f 6.20		8.59		1269.5			4.8 LANARK	
71 P		10.03		12.55	1.15				4.45		f 6.26		9.05		1274.5			5.0 VEVAY	
North 82 South 67 YPW		10.12		1.10	1.30				4.53		f 6.34		9.12		1279.7			5.2 STRAUSS	
71 P		10.22		1.21	1.41				5.11		f 6.45		9.22		1285.2			5.5 LIZARD	
83 P	11.18PM	10.31	4.40PM	1.30	2.00	1.10PM		7.45AM	5.20	7.02PM	f 6.53	12.04PM	9.29	7.00AM	1317.7		TO-R	4.7 ANAPRA Jct. Hachita Subdivision	
32 P														f	1319.1			1.4 BOWEN	Track No. 2
Spur 2															1320.1			1.0 BRICK	
															1320.9			.8 ICE HOUSE XOVER	
I	11.43	10.55	5.05	1.55	2.25	1.30		8.10	5.43	7.14	7.06	12.16	9.41	7.15	1322.8			1.9 TOWER 6 Jct. T. & N. O. Tracks 1 and 2	
BKP Yard										s 7.18PM	s 7.10PM	s 12.20PM	s 9.45AM	s 7.40AM	1295.9		TO-R	0.4 EL PASO Union Passenger Depot	
WFTPYBK Yard	11.58PM	11.10PM	5.20PM	2.10PM	2.40PM	1.45PM		8.25AM	5.58AM						1297.0		TO-R	1.1 EL PASO Octavia Street T. & N-O Yard	
	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Tues., Sat.	Arrive Thurs. Only	Arrive Sun. Only	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily				(148.2)	
	(0.40) 9.90	(6.35) 22.52	(0.40) 9.90	(7.15) 20.49	(8.00) 18.52	(0.35) 11.31	(2.12) 27.13	(0.40) 9.90	(5.57) 24.92	(0.16) 20.62	(3.50) 38.33	(0.16) 20.62	(3.27) 42.66	(0.40) 8.04				............Time Over District............ ....Average Speed per hour..........	

Schedule Time and train orders apply as follows: Anapra—Westward trains—WEST switch of EAST crossover; Eastward trains, Deming Subdivision—EAST switch of WEST crossover; Eastward trains, Hachita Subdivision—EAST switch of EAST crossover;

Within the limits of El Paso Union Passenger Depot Company's Yard employes are subject to rules and regulations of that Company.

Distance from San Francisco, Anapra to Tower 6 inclusive, is via Track No. 2.

Junction switch Lordsburg—Hachita Line (A. & N. M. Jct.) 0.5 mile west of Lordsburg.

ADDITIONAL FLAG STOPS TO RECEIVE OR DISCHARGE PASSENGERS					
Train	At	Receive or Discharge	To (Or Beyond)	From (Or Beyond)	Frequency
102	Any Station	Receive	San Antonio		Daily

DEMING SUBDIVISION WESTWARD

	Time Table No. 15 May 3, 1931 STATIONS	Distance from El Paso, Oct. St.	FIRST CLASS					THIRD CLASS			Capacity of Sidings in Car Lengths
			3 Golden State Limited	103 Argonaut	11 Apache	101 Sunset Limited	7 Mixed	413 Local Freight	123 Local Freight	177 Freight	
			Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Mon. Fri.	Arrive Wed. only	Arrive Sun. Only	
TO-R	LORDSBURG 4.7	148.7			s 1.50PM	s 10.21PM		5.45PM		6.10PM	
	ULMORIS 6.0	144.0			f 1.38	10.10		5.21		5.49	
	LISBON 5.4	138.0			f 1.30	10.02		**5.00**		5.37	
	HAWKINS 3.6	132.6			f 1.22	9.55		4.29		**5.25**	
TO	SEPAR 5.8	129.0			f 1.16	9.50		4.20		5.11	
	LADIM 5.8	123.2			f 1.08	9.42		**3.58**		5.01	
	WILNA 3.9	117.4			f 1.00	9.35		3.35		4.50	
	QUINCY 5.0	113.5			f 12.55	9.30		3.10		4.31	
TO	GAGE 4.7	108.5			f 12.48	9.24		2.55		**4.17**	
	MONGOLA 6.4	103.8			f 12.42	9.18		2.30		4.03	
	TUNIS 3.7	97.4			f 12.34	9.10		2.10		3.52	
	PARMA 2.8	93.7			f 12.29	9.06		1.45		3.45	
	CAMP CODY 1.9	90.9			12.25	9.02		1.37		3.39	
TO	DEMING 4.5	89.0			s **12.21**	s 8.58		**12.50**PM **11.10**AM		3.30PM	
	LUXOR 6.4	84.5			f 12.06PM	8.43		10.54			
	CARNE 3.1	78.1			f 11.59AM	8.35		**10.23**			
	MIESSE 3.7	75.0			f						
A. B. S.	MYNDUS 3.9	71.3			f 11.51	8.27		10.01			
	AKELA 4.3	67.4			f 11.47	**8.23**		9.53			
TO	CAMBRAY 4.5	63.1			f 11.42	8.18		9.45			
	DONA 4.6	58.6			f 11.37	8.13		9.33			
	CHAPPEL 4.4	54.0			f **11.32**	8.08		9.23			
	ADEN 3.9	49.6			f **11.26**	8.02		9.13			
	PRONTO 3.3	45.7			f 11.21	7.58		9.02			
	KENZIN 4.8	42.4			f 11.17	7.54		8.56			
TO	AFTON 5.3	37.6			f 11.10	7.48		**8.46**			
	RUTTER 4.8	32.3			f 10.58	7.36		8.29			
	LANARK 5.0	27.5			f 10.53	7.30		8.20			
	VEVAY 5.2	22.5			f 10.47	7.24		8.10			
	STRAUSS 5.5	17.3			f 10.41	7.17		8.00			
	LIZARD 4.7	11.8			f 10.32	7.07		7.50			
TO-R	ANAPRA Junction Hachita Subdivision 2.0	7.1	8.59AM	9.59AM	f 10.24	6.59	f 9.04PM	7.42	7.45AM		
	BRICKLAND 1.0	5.1									Spur P
Track No. 1	RIO GRANDE 2.6	4.1									
	TOWER 6 Jct. T and NO Tracks 1 and 2 0.4	1.5	8.47	9.47	10.12	6.47	8.48	7.24	7.24		I
TO-R	EL PASO Union Passenger Depot 1.1	1.1	8.45AM	9.45AM	10.10AM	6.45PM	8.40PM				BKP Yard
TO-R	EL PASO Octavia Street Pac. Lines	0.0						7.10AM	7.10AM		WFTPY BK Yard
	(148.7)		Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Mon. Fri.	Leave Wed. only	Leave Sun. Only	
	Time Over District Average speed per hour		(0.14) 25.71	(0.14) 25.71	(3.40) 40.25	(3.36) 41.00	(0.24) 15.00	(10.35) 14.05	(0.35) 12.34	(2.40) 24.87	

Schedule time and train orders apply as follows; Anapra—Westward trains—WEST switch of EAST crossover: Eastward trains, Deming Subdivision—EAST switch of WEST crossover: Eastward trains, Hachita Subdivision—EAST switch of EAST crossover. Within the limits of El Paso Union Passenger Depot Company's Yard, employes are subject to rules and regulations of that Company. Junction switch Lordsburg—Hachita Line (A. & N. M. Jct.) 0.5 mile west of Lordsburg.

ADDITIONAL FLAG STOPS TO RECEIVE OR DISCHARGE PASSENGERS

Train	At	Receive or Discharge	To (Or Beyond)	From (Or Beyond)	Frequency
101	Any Station	Discharge		San Antonio and Tucumcari	Daily

Distance from San Francisco via Track 1 Anapra to Rio Grande:

- Anapra 1289.9
- Brickland 1291.9
- Rio Grande 1292.9

DEMING SUBDIVISION

WESTWARD

Time Table No. 15
May 3, 1931
Valedon Branch

Capacity of Sidings in Car Lengths	Distance from San Francisco	STATIONS	Distance from Valedon
40	1148.3	OIL SIDING 3.2	4.3
Spur 7	1150.1	SHAKESPEARE 0.6	1.1
Spur 4	1150.7	LAWRENCE 0.5	0.5
3 P	1151.2	VALEDON	0.0
		(4.3)	

EASTWARD

EASTWARD DEMING SUBDIVISION WESTWARD

Capacity of Sidings in Car Lengths	SECOND CLASS 126 Mixed	Distance from San Francisco		Time Table No. 15 May 3, 1931 Lordsburg-Hachita Branch STATIONS	Distance from Hachita	SECOND CLASS 125 Mixed
	Leave Tues. Thurs., Sat.					Arrive Mon. Wed. Fri.
WYKFP Yard	2.00PM	1206.3	TO-R	HACHITA 6.5	0.0	s 8.45AM
Spur 11	f 2.15	1179.2		BAKER 10.7	6.5	f 8.24
54 P	f 2.37	1168.5		BROCKMAN 10.6	17.2	f 8.02
56	f 2.59	1157.9		ROBERT 9.6	27.8	f 7.40
40	f 3.19	1148.3		OIL SIDING 0.9	37.4	f 7.20
P		1147.8	A. B. S.	A. & N. M. JUNCTION 0.5	38.3	
WPYTBKF Yard	s 3.45PM	1148.3	A. B. S. TO-R	LORDSBURG	38.8	7.00AM
	Arrive Tues. Thurs. Sat.			(38.8)		Leave Mon. Wed. Fri.
	(1.45) 22.74			Time Over District Average speed per hour		(1.45) 22.74

Nos. 125 and 126 stop on signal at Muir, M.P. 1161.4.
Derail in Main Track 295 feet west of A. & N. M. Junction switch.

EASTWARD DEMING SUBDIVISION WESTWARD

Capacity of Sidings in Car Lengths	SECOND CLASS 174 Mixed	Distance from San Francisco		Time Table No. 15 May 3, 1931 Clifton Branch STATIONS	Distance from Clifton	SECOND CLASS 175 Mixed
	Leave Daily					Arrive Daily
WPYTBKF Yard	3.25PM	1148.3	TO-R	LORDSBURG 9.8	69.9	s 12.20PM
52	f 3.50	1156.2		VEITCH 9.1	60.1	f 11.50AM
43 P	f 4.10	1165.3		SUMMIT 5.5	51.0	f 11.29
35	f 4.22	1170.8		FOSTER 5.4	45.5	f 11.17
39	f 4.34	1176.2		THOMSON 4.7	40.1	f 11.05
7	f 4.45	1180.9		FRANKLIN 3.4	35.4	f 10.54
50 WP	s 4.57	1184.3	TO	DUNCAN 2.6	32.0	s 10.46
15	f 5.05	1186.9		FOX 5.7	29.4	f 10.33
51	f 5.19	1192.6		SHELDON 6.5	23.7	f 10.19
43	f 5.37	1199.1		YORK 6.1	17.2	f 10.01
No. 1-26 No. 2-22 WP	f 5.56	1205.2		GUTHRIE 4.6	11.1	f 9.42
23 P	f 6.10	1209.8		SOUTH SIDING 1.6	6.5	f 9.25
	f 6.15	1211.4		NORTH SIDING 2.8	4.9	f 9.20
25 P	f 6.37	1214.2		SMELTER 2.1	2.1	f 9.11
WTPBK Yard	s 6.55PM	1216.3	A. B. S. TO-R	CLIFTON	0.0	9.00AM
	Arrive Daily	1216.7		(69.9)		Leave Daily
	(3.30) 19.97			Time Over District Average speed per hour		(3.20) 20.99

Nos. 174 and 175 stop at Centre St., Clifton, for passengers.
Automatic Block Signals Clifton extend between M. P. 1215.9 and 1216.7. Derails and fouling points on connecting tracks are not connected to signals.

EASTWARD DEMING SUBDIVISION WESTWARD

Capacity of Sidings in Car Lengths	SECOND CLASS 176 Mixed	Distance from San Francisco		Time Table No. 15 May 3, 1931 Tyrone Branch STATIONS	Distance from Tyrone	THIRD CLASS 177 Mixed
	Leave Sun. Only					Arrive Sun. Only
Yard PWYKC	9.25AM	1208.0	TO-R	DEMING 34.7	47.2	s 2.55PM
Trains be governed by Time Table of the A. T. & S. F. Co. Deming—Burro Mtn. Jct. Time at Deming is for information only.						
Y	f 11.00AM	1240.2	R	BURRO MTN. JCT. 11.0	12.5	s 1.20PM
	11.53AM	1251.2		MILL SPUR 1.5	1.5	f 12.45
Yard Y	s 12.05PM	1252.7		TYRONE	0.0	12.15PM
	Arrive Sun. Only			(47.2)		Leave Sun. Only
	(2.40) 17.70			Time Over District Average speed perhour		(2.40) 17.70

EASTWARD HACHITA SUBDIVISION WESTWARD

Time Table No. 15
May 3, 1931
Cochise-Douglas Branch

Capacity of Sidings in Car Lengths	SECOND CLASS 170 Mixed Leave Mon. Wed. Fri.	Distance from San Francisco		STATIONS	Distance from Douglas	SECOND CLASS 169 Mixed Arrive Tues. Thurs. Sat.
WFYTBKP Yard	8.00AM	1107.0	TO-R	DOUGLAS	0.0	s 12.33PM
12	f 9.00	1104.1		19.5 McNEAL	19.5	s 11.15AM
Spur 10	f 9.22	1098.5		5.6 ELFRIDA	25.1	f 10.43
Spur 4	f 9.37	1095.2		3.3 WEBB	28.4	f 10.30
North 12 South 11 YPW	s 9.58	1092.3		2.9 KELTON A. E. R. R. Crossing	31.3	s 10.20
40 YP	s 10.45	1079.7	TO	12.6 PEARCE	43.9	s 9.00
38 WP	f 11.15	1071.4		8.3 SERVOSS	52.2	f 8.30
Yard BOYP	s 11.50AM	1063.9	TO-R	7.5 COCHISE	59.7	8.00AM
	Arrive Mon. Wed. Fri.			(59.7)		Leave Tues. Thurs. Sat.

(3.50) .... Time Over District .... (4.33)
15.57 .... Average speed per hour 12.38

EASTWARD HACHITA SUBDIVISION WESTWARD

Time Table No. 15
May 3, 1931
Courtland Branch

Capacity of Sidings in Car Lengths		Distance from San Francisco		STATIONS	Distance from Courtland	
North 12 South 11 WYP		1092.3	R	KELTON	4.5	
32 Y		1095.4		2.8 GLEESON JCT.	1.7	
26 YP		1097.1		1.7 COURTLAND	0.0	
				(4.5)		

.... Time Over District ....
.... Average speed per hour ....

EASTWARD HACHITA SUBDIVISION WESTWARD

Time Table No. 15
May 3, 1931
Gleeson Branch

Capacity of Sidings in Car Lengths		Distance from San Francisco		STATIONS	Distance from Gleeson	
North 12 South 11 WYP		1092.3	R	KELTON	6.2	
Spur 25		1095.5		3.2 HOLMES	3.0	
9 P		1098.5		3.0 GLEESON	0.0	
				(6.2)		

.... Time Over District ....
.... Average speed per hour ....

EASTWARD MESCAL SUBDIVISION WESTWARD

Time Table No. 15
May 3, 1931
Calabasas Branch

Capacity of Sidings in Car Lengths	SECOND CLASS 168 Mixed Leave Tues., Fri.	Distance from San Francisco		STATIONS	Distance from Calabasas	THIRD CLASS 167 Mixed Arrive Wed., Sat.
77 PWOYK	2.45PM	1048.2	A. B. S. TO-R	FAIRBANK	59.7	s 11.00AM
P		1051.7	A. B. S.	0.4 N. M. & A. JUNCTION	59.3	
11	f 3.03	1057.0		5.3 BROOKLINE	54.0	f 10.42
35	s 3.17	1062.5		5.5 CAMPSTONE	48.5	s 10.28
30 PW	s 3.47	1073.8		11.3 ELGIN	37.2	s 9.58
Spur 4	f	1076.0		2.2 CANELO	35.0	f
34 P	s 4.10	1082.1		6.1 SONOITA	28.9	s 9.35
	f	1088.4		6.3 ASHBURN	22.6	f
32	f 4.37	1092.0		3.6 CRITTENDEN	19.0	f 9.08
33 W	s 4.45PM	1095.1	TO-R	3.1 PATAGONIA	15.9	9.00AM
Spur 4		1098.3		3.2 FLUX	12.7	
27		1098.6		0.3 FARALLON	12.4	
10		1099.4		0.8 BLOXTON	11.6	
14		1102.0		2.6 SANFORDS	9.0	
		1104.9		2.9 FULLERS RANCH	6.1	
27 YP		1111.0	R	6.1 CALABASAS	0.0	
	Arrive Tues., Fri.			(59.7)		Leave Wed., Sat.

(2.00) .... Time Over District .... (2.00)
21.90 .... Average speed per hour 21.90

Trains 167 and 168 stop on signal at Perrin Trust Ranch House 2.8 miles east of Canelo.
Track cannot be used between a point 352 feet east of Flux, M. P. 1098.4 and Calabasas.
Derail in Main track 260 feet east of N. M. & A. Jct.

EASTWARD MESCAL SUBDIVISION WESTWARD

Time Table No. 15
May 3, 1931
Bisbee Branch

Capacity of Sidings in Car Lengths		Distance from San Francisco		STATIONS	Distance from Bisbee	
Yard YWPO		1085.0	TO-R	BISBEE JUNCTION	7.8	
77 P		1088.3		3.2 CORTA	4.6	
Yd YWPOBK		1089.8	A. B. S.	1.5 DON LUIS	3.1	
No. 1-20 No. 2-17		1090.8	A. B. S.	1.0 GALENA	2.1	
WP Spur 10		1091.7	A. B. S.	0.9 LOWELL	1.2	
14 P		1092.9	A. B. S. TO	1.2 BISBEE	0.0	
				(7.8)		

.... Time Over District ....
.... Average speed per hour ....

East leg of wye at Bisbee Junction is main track of Bisbee line.
Both east and west wye switches at Don Luis will be kept lined for Don Luis yard.

EASTWARD MESCAL SUBDIVISION WESTWARD

Time Table No. 15
May 3, 1931
Bisbee-Lowell Cut-off

Capacity of Sidings in Car Lengths		Distance from San Francisco		STATIONS	Distance from Lowell	
77 P		1088.3		CORTA	2.8	
Spur 13		1089.6		1.3 WARREN	1.5	
PW Spur 10		1091.7		1.5 LOWELL	0.0	
				(2.8)		

.... Time Over District ....
.... Average speed per hour ....

EASTWARD MESCAL SUBDIVISION WESTWARD

Time Table No. 15
May 3, 1931
Benson-Fairbank Branch

Capacity of Sidings in Car Lengths			SECOND CLASS 168 Mixed Leave Tues. Fri.	SECOND CLASS 166 Mixed Leave Mon. Thurs.	Distance from San Francisco		STATIONS	Distance from Benson Jct.	THIRD CLASS 165 Mixed Arrive Mon. Thurs.	THIRD CLASS 167 Mixed Arrive Wed. Sat.	
Yard WYPBKO			11.00AM	10.30AM	1032.6	TO-R	BENSON	18.0	s 4.15PM	s 4.15PM	Apache Powder Co. Spur M. P. 1039.6 Nos. 165, 166, 167 and 168 stop on signal.
Spur 7			f 11.19	f 10.49	1038.1		5.5 ST. DAVID	12.5	f 3.45	f 3.45	
16 P			s 11.44	s 11.15	1039.8	TO	1.7 CURTISS	10.8	s 3.10	s 3.10	
13			f 11.54AM	f 11.23	1042.4		2.6 LAND	8.2	f 2.57	f 2.57	
			f	f	1048.5		6.1 CONTENTION	2.1	f	f	
P			s 12.24PM	s 11.49AM	1046.4		2.1 BENSON JCT.	0.0	2.31PM	2.31PM	
			Arrive Tues. Fri.	Arrive Mon. Thurs.			(18.0)		Leave Mon. Thurs.	Leave Wed. Sat.	

(1.24) (1.19) .... Time Over District .... (1.44) (1.44)
12.85 13.67 .... Average speed per hour 10.38 10.38

EASTWARD MESCAL SUBDIVISION WESTWARD

Time Table No. 15
May 3, 1931
Ft. Huachuca Branch

Capacity of Sidings in Car Lengths		SECOND CLASS 162 Mixed Leave Daily	SECOND CLASS 160 Mixed Leave Daily	Distance from San Francisco		STATIONS	Distance from Ft. Huachuca	SECOND CLASS 159 Mixed Arrive Daily	SECOND CLASS 161 Mixed Arrive Daily
N. 77 S. 33 KWYP		4.40PM	1.15PM	1058.8	TO-R	LEWIS SPRINGS	13.2	s 12.35PM	s 4.00PM
23		f 5.10	f 1.45	1068.9		10.1 GARDEN CANON	3.1	f 12.05PM	f 3.30
34 YB		s 5.20PM	s 1.55PM	1072.0	TO-R	3.1 FT. HUACHUCA	0.0	11.55AM	3.20PM
		Arrive Daily	Arrive Daily			(13.2)		Leave Daily	Leave Daily

(0.40) (0.40) .... Time Over District .... (0.40) (0.40)
19.80 19.80 .... Average speed per hour 19.80 19.80

Derail Main Track 237 feet east of junction Switch, Lewis Springs.

Rule S-72 Exception, No. 160 is superior to No. 161.

EASTWARD MESCAL SUBDIVISION WESTWARD

Time Table No. 15
May 3, 1931
Tombstone Branch

Capacity of Sidings in Car Lengths			SECOND CLASS 172 Mixed Leave Daily Ex. Sunday	Distance from San Francisco		STATIONS	Distance from Tombstone	THIRD CLASS 171 Mixed Arrive Daily Ex. Sunday		
OWYPK			12.50PM	1048.2	TO-R	FAIRBANK	9.0	s 2.05PM		
WY			s 1.20PM	1057.5	TO-R	9.0 TOMBSTONE	0.0	1.35PM		
			Arrive Daily Ex. Sunday			(9.0)		Leave Daily Ex. Sunday		

(0.30) .... Time Over District .... (0.30)
18.00 .... Average speed per hour 18.00

Derail main track 300 ft. east of junction switch Fairbank.

ALAMOGORDO SUBDIVISION

	EASTWARD												WESTWARD		
	THIRD CLASS	SECOND CLASS				FIRST CLASS				Time Table No. 15 May 3, 1931			FIRST CLASS		THIRD CLASS
Capacity of Sidings in Car Lengths	202 Local Freight	232 Freight	230 Freight	228 Freight	226 Freight	4 Golden State Limited	12 Apache	Distance from San Francisco				Distance from Carrizozo	3 Golden State Limited	11 Apache	201 Local Freight
	Leave Mon. Thurs.	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily			STATIONS			Arrive Daily	Arrive Daily	Arrive Wed. Sat.
Yard BKIP						7.33PM	12.35PM	1295.9	A. B. S.	TO-R EL PASO Union Passenger Depot 1.1	D. T.	144.0	s 8.30AM	s 9.55AM	
Yard FBWYTPK	7.00AM	7.00PM	1.15PM	6.25AM	12.01AM	7.39	12.41	1297.0		TO-R EL PASO Octavia St. T. & N. O. Co. Yard 0.6		142.9	8.22	9.47	
P	7.05	7.05	1.20	6.30	12.05	7.42	12.44	1297.6		EL PASO Tower 47 T. & N. O. Co. Connection		142.3	8.19	9.44	
YARD P								1297.0		EL PASO Dallas St. Yard 4.5		142.9			3.00PM
24 Spur P							f	1301.5		FORT BLISS 0.8		138.4		f	
107 P	7.30	7.28	1.50	6.55	12.30	7.59	f 1.03	1302.3		PLANEPORT 6.7		137.6	8.01	f 9.26	2.40
76 P	**7.53**	7.39	**2.10**	7.07	12.42	8.07	f 1.13	1309.0		PANCHO 7.1		130.9	**7.53**	f 9.17	**2.10**
106 WP	8.05	7.51	2.23	7.19	12.55	8.16	f 1.23	1316.1		TO NEWMAN 5.6		123.8	7.44	f 9.06	1.48
78 P	8.15	8.00	2.34	**7.37**	1.05	8.22	f **1.31**	1321.7		HUECO 4.5		118.2	**7.37**	f 8.58	**1.31**
79 P	8.24	8.08	2.42	7.46	1.13	8.27	f 1.38	1326.2		ALVARADO 5.9		113.7	7.31	f 8.52	1.13
78 P	**8.44**	8.17	2.52	7.56	1.23	8.34	f 1.46	1332.1		DESERT 7.1		107.8	7.24	f **8.44**	1.00
77 P	9.01	8.29	3.04	8.08	1.35	8.42	f 1.56	1339.2		ELWOOD 5.8		100.7	7.16	f 8.34	12.45
126 WYP	10.07	**8.49**	3.24	**8.26**	1.55	**8.49**	f 2.05	1345.0		TO OROGRANDE Junction Jarilla Line 6.3		94.9	7.09	f **8.26**	12.30
78 P	10.25	9.08	3.39	8.50	2.08	8.58	f 2.14	1351.3		TURQUOISE 5.7		88.6	7.01	f 8.17	12.01PM
77 P	10.40	9.19	3.49	9.01	2.19	9.05	f 2.22	1357.0		PAXTON 5.1		82.9	6.54	f 8.09	11.50AM
81 P	10.55	9.29	3.58	9.10	2.36	9.12	f 2.29	1362.1		ESCONDIDA 3.9		77.8	6.47	f 8.02	11.40
99 P	11.03	9.35	4.04	9.18	2.45	9.17	f 2.35	1366.0		DUNES 6.3		73.9	6.42	f 7.56	11.31
77 P	11.15	9.47	4.20	9.33	2.56	9.25	f 2.43	1372.3		VALMONT 5.9		67.6	6.34	f 7.48	11.20
116 P	11.27AM	9.59	4.30	9.45	3.07	9.32	f 2.50	1378.2		OMLEE 4.6		61.7	6.27	f 7.40	11.10
184 FBWPK	12.30PM	10.20	4.50	**10.20**	3.35	s 9.44	s 3.10	1382.8		TO-R ALAMOGORDO 1.4		57.1	s 6.21	s 7.33	**10.55** **8.24**
YP	12.35	10.25	4.55	10.25	3.40	9.46	3.12	1384.2		ALAMOGORDO JCT. 4.4		55.7	6.11	7.14	8.19
77 P	12.45	10.40	5.10	10.42	3.53	9.53	f 3.20	1388.6		KEARNEY 7.0		51.3	6.06	f 7.08	8.10
79 P	1.45	11.00	5.30	10.55	4.06	10.02	s 3.32	1395.6		TO TULAROSA 7.4		44.3	5.58	s 6.59	7.49
77 P	2.15	11.20	5.50	11.08	4.19	10.11	f 3.41	1403.0		TEMPORAL 4.2		36.9	5.50	f 6.49	7.10
78 P	2.25	11.30	6.00	11.15	4.26	10.17	f 3.46	1407.2		SALINAS 5.7		32.7	5.45	f 6.43	7.01
78 WP	2.43	11.50PM	6.20	11.35	4.40	10.24	f 3.54	1412.9		TO THREE RIVERS 5.5		27.0	5.38	f 6.36	6.49
78 P	3.10	12.10AM	6.40	11.55AM	4.56	10.32	f 4.05	1418.4		NORTH 6.1		21.5	5.31	f 6.29	6.37
78 WP	3.40	12.42	7.05	12.20PM	**5.24**	10.42	f 4.15	1424.5		OSCURA 8.3		15.4	**5.24**	f 6.21	6.25
77 P	4.00	1.00	7.25	12.38	**6.10**	10.53	f 4.27	1432.8		POLLY 7.1		7.1	5.14	f **6.10**	**6.10**
YARD FBWYPK	4.20PM	1.20AM	7.50PM	1.00PM	6.40AM	s 11.05PM	s 4.40PM	1439.9		TO-R CARRIZOZO		0.0	5.04AM	6.00AM	5.30AM
	Arrive Mon. Thurs.	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily			(144.0)			Leave Daily	Leave Daily	Leave Wed. Sat.
	(9.20) 15.42	(6.20) 22.78	(6.35) 21.87	(6.35) 21.87	(6.39) 21.48	(3.32) 40.75	(4.05) 35.26			Time over District Average Speed per Hour			(3.26) 41.94	(3.55) 36.76	(9.30) 15.04

Within the limits of El Paso Union Passenger Depot Company's Yard, employees are subject to rules and regulations of that Company.

Between yard limit board East of Alamogordo Junction and connection between main track and siding located east of Alamogordo station, trains to and from the Cloudcroft Line may move under authority of block signals only. All trains must move between these points prepared to stop expecting to find main track occupied. Cloudcroft trains must avoid delaying main line trains and should when practicable move through Alamogordo siding instead of through the connection.

First class trains meeting at Alamogordo will use that portion of the siding between the East and West connections just east and west of station; and time table schedules and train orders applicable between first class trains only will apply at these connections.

SANTA ROSA SUBDIVISION

Capacity of Sidings in Car Lengths	EASTWARD								Distance from San Francisco		Time Table No. 15 May 3, 1931	Distance from Tucumcari	WESTWARD			
	THIRD CLASS		SECOND CLASS				FIRST CLASS						FIRST CLASS		THIRD CLASS	
	206	204	230	228	226	232	4	12					3	11	203	205
	Local Freight	Local Freight	Freight	Freight	Freight	Freight	Golden State Limited	Apache					Golden State Limited	Apache	Local Freight	Local Freight
	Leave Tue. Thur. Sat.	Leave Mon. Wed. Fri.	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily			STATIONS		Arrive Daily	Arrive Daily	Arrive Tue. Thur. Sat.	Arrive Mon. Wed. Fri.
Yard FBWYPK		7.45AM	8.20PM	2.00PM	8.00AM	2.00AM	11.13PM	4.50PM	1439.9	A. B. S.	TO-R CARRIZOZO 0.4	187.5	s 4.57AM	s 5.50AM	12.10PM	
									1440.3		CARRIZOZO JUNCTION 6.6	187.1				
78 P		8.00	8.40	2.20	8.20	2.20	11.23	f 5.02	1446.9		ROBSART 5.3	180.5	4.46	f 5.39	11.50AM	
77 WP		8.15	8.55	2.35	8.35	2.35	11.31	f 5.11	1452.2		COYOTE 7.0	175.2	4.39	f 5.32	11.35	
77 P		8.30	9.15	2.55	8.55	2.55	11.42	f 5.21	1459.2		LARGO 4.3	168.2	4.30	f 5.23	11.15	
86 WP		9.00	9.45	3.25	9.25	3.23	11.51	f 5.31	1463.5		TO ANCHO 3.5	163.9	4.24	f 5.17	11.00	
106 P		9.20	10.05	3.45	9.45	3.40	11.57PM	f 5.39	1467.0		LUNA 6.0	160.4	4.19	f 5.12	10.35	
77 P		9.45	10.30	4.10	**10.10**	**4.11**	12.08AM	f 5.49	1473.0		TECOLOTE 4.8	154.4	**4.11**	f 5.04	**10.10**	
77 P		9.55	10.40	4.20	10.20	4.30	12.15	f 5.57	1477.8		ELDA 4.7	149.6	4.04	f 4.57	9.45	
132 WP		10.10	10.55	4.35	10.35	**4.51**	12.21	f 6.06	1482.5		GALLINAS 8.4	144.9	3.58	f **4.51**	9.20	
74 YP		**11.00**	11.15	5.00	**11.00**	5.19	12.32	s 6.21	1490.9		TO CORONA 4.3	136.5	3.47	s 4.39	8.09	
75 P		11.30	11.24	5.10	11.10	5.31	12.38	f 6.27	1495.2		VARNEY 3.8	132.2	3.41	f 4.31	7.40	
74 WP		11.45AM	11.32	5.20	11.20	5.40	12.43	f 6.33	1499.0		TORRANCE 5.4	128.4	3.36	f 4.26	7.25	
77 P		12.05PM	11.43	5.40	11.40	6.02	12.50	f 6.41	1504.4		HELENA 6.2	123.0	3.29	f 4.19	7.10	
Yard WP		12.40	11.57PM	6.00	11.55AM	6.20	12.58	f 6.49	1510.6		TO DURAN 6.0	116.8	3.21	f 4.10	6.50	
84 P		12.55	12.10AM	6.15	12.10PM	**6.35**	1.06	f 6.57	1516.6		INDIOLE 4.9	110.8	3.13	f 4.00	**6.35**	
84 P		1.05	12.20	6.25	12.20	6.45	1.13	f 7.04	1521.5		EPRIS 3.9	105.9	3.06	f 3.52	6.15	
No. 1-105 No. 2-120 KCWP	7.00AM	1.20PM	1.05	7.10	1.05	7.30	s 1.25	s 7.26	1525.4		TO-R VAUGHN 2.7	102.0	s 3.00	s 3.45	6.00AM	3.30PM
81 P	7.08		1.10	7.16	1.15	7.35	1.30	f 7.31	1528.1		TONY 5.2	99.3	2.50	f 3.29		3.10
77 P	7.19		1.24	**7.38**	1.25	7.45	1.37	f **7.38**	1533.3		LEONCITO 6.7	94.1	2.43	f 3.22		2.45
78 P	7.33		**1.46**	7.51	1.36	7.57	**1.46**	f 7.46	1540.0		WINKLE 7.2	87.4	2.35	f 3.13		2.20
109 WP	7.49		2.00	8.05	**1.50**	8.10	1.55	f 7.58	1547.2		TO PASTURA 5.2	80.2	2.27	f 3.02		**1.50**
77 P	8.02		**2.20**	8.17	2.05	8.25	2.01	f 8.06	1552.4		GUADALUPE 6.1	75.0	**2.20**	f 2.54		1.25
77 P	8.15		**2.45**	8.34	2.20	8.37	**2.10**	f 8.17	1558.5		ARABELLA 5.2	68.9	**2.10**	f **2.45**		1.00
77 CP	8.27		3.05	8.52	2.30	8.50	2.18	f 8.27	1563.7		PINTADO 4.6	63.7	1.57	f 2.36		12.40
No. 1-79 No. 2-73 WYP	**9.05**		3.17	9.04	2.45	**9.05**	**2.26**	s 8.40	1568.3		TO SANTA ROSA 5.7	59.1	f 1.51	s **2.26**		12.15PM
99 P	9.30		3.29	9.17	3.00	9.20	2.34	f 8.49	1574.0		HAWKS 3.4	53.4	1.39	f 2.07		10.50AM
76 P	9.45		3.37	9.26	3.15	9.35	2.39	f 8.54	1577.4		LOS TANOS 2.9	50.0	1.35	f 2.02		10.33
102 P	9.55		3.48	9.35	3.25	9.45	2.43	f 8.59	1580.3		ALCOR 5.5	47.1	1.31	f 1.57		10.18
107 WP	10.10		4.05	9.45	3.40	**10.00**	2.51	f 9.09	1585.8		TO CUERVO 8.9	41.6	1.24	s 1.48		**10.00**
107 P	10.31		4.23	10.00	4.00	10.20	3.03	f 9.22	1594.7		NEWKIRK 5.7	32.7	1.13	f 1.35		9.30
76 P	10.46		4.35	10.15	4.15	10.35	3.11	f 9.30	1600.4		SIMMONS 6.3	27.0	1.06	f 1.26		9.15
107 WP	11.01		4.49	10.30	4.30	10.50	3.20	f 9.40	1606.7		TO MONTOYA 8.8	20.7	12.58	f 1.16		9.00
77 P	11.17		5.03	10.45	4.45	11.05	3.32	f 9.52	1615.5		PALOMAS 6.4	11.9	12.48	f 1.04		8.27
76 P	11.33		5.19	11.00	5.00	11.20	3.41	f 10.01	1621.9		HARGIS 5.5	5.5	12.40	f 12.55		8.15
Yard FWYTPBK	11.55AM		5.40AM	11.20PM	5.20PM	11.40AM	s 3.53AM	s 10.13PM	1627.4		TO-R TUCUMCARI	0.0	12.30AM	12.45AM		8.00AM
	Arrive Tue. Thur. Sat.	Arrive Mon. Wed. Fri.	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily			(187.5)		Leave Daily	Leave Daily	Leave Tue. Thur. Sat.	Leave Mon. Wed. Fri.
	(4.55)	(5.35)	(9.20)	(9.20)	(9.20)	(9.40)	(4.40)	(5.23)			Time over District		(4.27)	(5.05)	(6.10)	(7.30)
	20.74	15.91	20.09	20.09	20.09	19.39	40.17	34.83			Average speed per hour		42.13	36.88	13.86	13.60

ADDITIONAL FLAG STOPS TO RECEIVE OR DISCHARGE PASSENGERS

Train	At	Receive or Discharge	TO (or Beyond)	FROM (or Beyond)	Frequency
4	Santa Rosa	Receive	Only for stations train is scheduled to stop.		Daily

SANTA ROSA SUBDIVISION

EASTWARD	SECOND CLASS			Time Table No. 15 May 3, 1931 Dawson Branch		WESTWARD SECOND CLASS
Capacity of Sidings in Car Lengths	210 Mixed Leave Daily	Distance from San Francisco		STATIONS	Distance from Dawson	209 Mixed Arrive Daily
Yard TWYPBKF	6.45AM	1627.4	TO-R	TUCUMCARI	132.0	s 6.00PM
				7.5		
45 P	f 7.05	1634.9		BASCOM	124.5	f 5.30
				5.5		
33 P	f 7.20	1640.4		CANADIAN	119.0	f 5.05
				9.7		
45 P	f 7.45	1650.1		ATARQUE	109.3	f 4.40
				5.5		
1 Spur	f	1655.6		TRIGG RANCH	103.8	f
				6.1		
33 YWP	s 8.20	1661.7		CAMPANA	97.7	s 4.05
				5.9		
33 P	f 8.40	1667.6		MEDIO	91.8	f 3.35
				5.4		
63 CYP	f 9.05	1673.0		CABEZA	86.4	f 3.05
				4.9		
77 P	s 9.25	1677.9	TO	MOSQUERO	81.5	s 2.45
				8.4		
56 WP	s 9.55	1686.3		SOLANA	73.1	s 2.10
				9.8		
33 P	s 10.15 ¶ 11.01	1696.1	TO	ROY	63.3	¶ 1.45 s 12.45
				10.3		
62 YP	s 11.25	1706.4	TO	MILLS	53.0	s 12.20PM
				4.3		
79 P	f 11.40AM	1710.7		ALICIA	48.7	f 11.40AM
				4.9		
61 WP	s 12.30PM	1715.6		ABBOTT	43.8	s 11.25
				6.2		
55 P	f 12.45	1721.8		VERNON	37.6	f 10.50
				8.0		
40 CYP	s 1.35	1729.8	TO	TAYLOR	29.6	s 10.30
				11.5		
P	s 2.00 2.50	1741.3		FRENCH	18.1	9.45 s 9.05
				0.4		
31 P	f 2.55	1741.7		LLOYD	17.7	f 9.00
				12.6		
Yard PI	s 3.25	1754.3		COLFAX A. T. & S. F. R. R. Crossing	5.1	s 8.35
				5.1		
Yard YCWTPBK	s 4.00PM	1759.4	TO-R	DAWSON	0.0	8.15AM
	Arrive Daily			(132.0)		Leave Daily
	(9.15) 14.28			Time over District Average Speed per hour		(9.45) 13.54

Derail 550 feet West of West switch, Dawson yard.

Time shown at French applies at A. T. & S. F. Station and is for information only.

ALAMOGORDO SUBDIVISION

EASTWARD				Time Table No. 15 May 3, 1931 Jarilla Branch	WESTWARD
Capacity of Sidings in Car Lengths		Distance from San Francisco		STATIONS	Distance from Zora
119 WYP		1345.0	TO	OROGRANDE Junction Jarilla Line	4.9
				0.5	
40 Spur		1345.5		SMELTER	4.4
				2.3	
9 Spur		1347.8		MURRAY	2.1
				0.1	
12		1347.9		JARILLA	2.0
				0.6	
33 Spur		1348.5		LUCKY MINE	1.4
				0.4	
4 Spur		1348.9		JARILLA RED. CO.	1.0
				0.7	
2 Spur		1349.6		PARKER	0.3
				0.3	
		1349.9		ZORA	0.0
				(4.9)	

Derail 190 feet East of wye switch, Orogrande. Derail 5975 feet East of wye switch, Orogrande.

Track cannot be used East of Lucky Mine.

ALAMOGORDO SUBDIVISION

EASTWARD	SECOND CLASS			Time Table No. 15 May 3, 1931 Cloudcroft Branch		WESTWARD THIRD CLASS
Capacity of Sidings in Car Lengths	214 Mixed Leave Daily	Distance from San Francisco		STATIONS	Distance from Russia	213 Mixed Arrive Daily
177 BFWPK	7.35AM	1382.8	A. B. S. { TO-R	ALAMOGORDO	32.3	s 3.00PM
				1.4		
YP	7.40	1384.2	A. B. S.	ALAMOGORDO JUNCTION	30.9	2.50
				2.8		
2 Spur		1387.0		OLIVERLEE	28.1	
				1.8		
17 P	f 8.00	1388.8		LA LUZ	26.3	s 2.35
				3.7		
14	f 8.20	1392.5		EL VALLE	22.6	f 2.10
				2.9		
15	f 8.35	1395.4		PINTO	19.7	f 1.55
				3.2		
15 P	s 8.55	1398.6		HIGH ROLLS	16.5	s 1.35
				0.7		
9 P	s 9.00	1399.3		MOUNTAIN PARK	15.8	s 1.25
				1.6		
7 WP	f 9.10	1400.9		WOOTEN	14.2	f 1.15
				2.6		
8 YP	f 9.30	1403.5		TOBOGGAN	11.6	f 1.00
				0.2		
		1403.7		SWITCHBACK (West End)	11.4	
				0.6		
		1404.3		SWITCHBACK (East End)	10.8	
				1.6		
1 Spur		1405.9		BAILEYS	9.2	
				2.8		
14 WPY	s 10.15	1408.7	TO-R	CLOUDCROFT	6.4	s 12.20
				0.7		
41 Spur	10.20	1409.4		HOTEL	5.7	12.05PM
				1.2		
11 Spur	f 10.30	1410.6		COX CANON	4.5	f 11.55AM
				2.7		
2 Spur		1413.3		HUDMANS	1.8	
				1.8		
22 YP	s 10.55AM	1415.1		RUSSIA	0.0	11.30AM
	Arrive Daily			(32.3)		Leave Daily
	(3.20) 9.60			Time over District Average speed per hour		(3.30) 9.23

Derail 150 feet West of West wye switch, Cloudcroft.

Derail 427 feet East of main track switch, on East leg of wye, Alamogordo Jct.

Derail 192 feet East of main track switch, on West leg of wye, Alamogordo Jct.

Derail 837 feet West of West switch, Russia.

ALAMOGORDO SUBDIVISION

EASTWARD	SECOND CLASS			Time Table No. 15 May 3, 1931 Capitan Branch		WESTWARD THIRD CLASS
Capacity of Sidings in Car Lengths	216 Mixed Leave Tue. Fri.	Distance from San Francisco		STATIONS	Distance from Capitan	215 Mixed Arrive Tue. Fri.
Yard BWYPKF	8.00AM	1439.9	A. B. S. { TO-R	CARRIZOZO	21.3	s 1.20PM
				0.4		
	8.02	1440.3	A. B. S.	CARRIZOZO JUNCTION	20.9	1.15PM
				8.7		
5 Spur	f 8.50	1449.0		WALNUT	12.2	s 12.40PM
				4.4		
		1453.4		SWITCH BACK (East End)	7.8	
				0.4		
		1453.8		SWITCH BACK (West End)	7.4	
				0.7		
5 Spur	f 9.35	1454.5		INDIAN DIVIDE	6.7	f 11.55AM
				4.2		
27 Spur Y	f 10.00	1458.7		COALORA	2.5	f 11.25
				2.5		
32 Spur P	s 10.25AM	1461.2		CAPITAN	0.0	11.00AM
	Arrive Tue. Fri.			(21.3)		Leave Tue. Fri.
	(2.25) 8.81			Time over District Average speed per hour		(2.20) 9.13

Derail 283 feet East of main track switch, on West leg of wye, Carrizozo Jct.

Derail 359 feet East of main track switch, on East leg of wye, Carrizozo Jct.

RULE 2. **The following are designated Watch Inspectors:**

S. A. Pope, Manager of Time Service, 65 Market Street, San Francisco.

El Paso	G. D. Davidson Co., First Natl. Bank Bldg.
Tucson	Greenwald & Adams
Tucson	G. D. Davidson Co.
Douglas	Phelps Dodge Mercantile Co.
Bisbee	L. L. Gilman
Lordsburg	H. H. Conder
Alamogordo	A. Sorenson
Tucumcari	E. E. Rivers

RULE 14. **At junction points when recalling flagman on diverging route use:**

Four long and one short sounds to recall flagman from the west.

Five long and one short sounds to recall flagman from the east, except Hachita Subdivision trains at Anapra recalling flagman from the west, will use four long and one short sounds.

Westward trains from Rio Grande Division at Mescal when recalling flagman from the east, five long and one short sounds.

RULE S-72. Westward trains are superior to trains of the same class in the opposite direction.

RULE 83 (A). Extra trains will register by ticket at Mescal and Anapra.

Only trains originating and terminating will register at:
Deming, Fairbank,
Benson, Cochise,
Lewis Springs,
Bisbee Junction,
Hachita, Vaughn, Alamogordo.

Engineers of light engines arriving Tucson via Rio Grande Division will leave register ticket Form 2642 with engine dispatcher who will deliver promptly to the operator.

RULE 83 (B). Nos. 165, 166, 167, 168 will register at Fairbank.

First class trains register at El Paso (Octavia Street) by ticket.

Regular trains may register by ticket at Mescal and Anapra.

Nos. 3, 4, 12 and 103 will register by train register ticket at Douglas train order office and may pass without stopping if a register check, Form R, (provided one is necessary) and a clearance are received. The conductors of Nos. 3 and 103 will be delivered clearance and orders, if any, for the outgoing engineer and will make delivery to him at passenger station.

RULE 83 (D). Trains leaving Tucson routed Mescal and Rio Grande Division must obtain two clearances, one marked Tucson Division and one marked Rio Grande Division. Westward trains leaving El Paso (Octavia Street) and El Paso Union Passenger Depot routed via Anapra and Hachita Subdivision must obtain two clearances, one marked Deming Subdivision and one marked Hachita Subdivision before leaving those points.

Trains must obtain a clearance before leaving Deming and Cloudcroft. Trains of the Hachita Subdivision may move Anapra to El Paso with current of traffic as authorized into Anapra. It will not be necessary to obtain clearance at Anapra provided proceed train order signal is received.

RULE 93. YARD LIMITS.—Are defined by yard limit boards at the following stations:

Tucson
Benson
Lordsburg
Deming
Fairbank
Lewis Springs
Bisbee Jct.
Bisbee
Douglas
Cochise (Douglas-Cochise Line)
Hachita
Columbus
El Paso
Tyrone
Oil siding (including Valedon Line)
Clifton
Alamogordo
Cloudcroft
Russia
Carrizozo
Capitan
Tucumcari
Santa Rosa
Vaughn
Dawson

RULE 104. The normal position of initial switch Dawson Line at Tucumcari is for stock track.

RULE D-151. On double track between El Paso (Octavia Street) and Anapra westward trains will use track No. 1 and eastward trains will use track No. 2. Eastward trains may detour through icehouse crossover to Tower 6, thence via T&NO track No. 2 or through Union Depot tracks to El Paso (Octavia Street) T&NO yard.

RULE 221. Light will not be displayed in train order signals on Dawson Line, at Patagonia on Calabasas Line, at Duncan on Clifton Line, nor at Curtiss on Benson-Fairbank Line except when train orders are to be delivered.

RULE 827. **On freight trains when conditions are favorable and in the judgment of conductor it is safe to do so, a distance of 60 miles may be run** without stopping for train inspection. Inspection must be made at any intermediate stop.

Freight trains on descending grade must stop at least five minutes for inspection at:

Vail
Campstone
Patagonia
Medio
Campana
High Rolls
La Luz
Walnut

The same inspection as is required of freight trains will be made of engines running light, descending grades of 1½ per cent or over.

RULE 880. Enginemen working on territory covered by S. P. Enginemen's Agreement who have had less than 610 days actual experience as enginemen in freight service, and less than 60 days experience on the division, must not be used in passenger service. When enginemen with less than 610 days experience and less than 60 days service as enginemen on the district, and firemen of less than one year's experience stand to help or doublehead a passenger train, they must handle engine next to train, experienced men to handle leading engine.

Enginemen working on territory covered by Agreement former E. P. & S. W. System will be governed by Article 28, Sections 8 and 9, of former E. P. & S. W. Agreement.

METHOD OF TRAIN DISPATCHING BETWEEN TUCSON AND MESCAL

(A) Tucson Division Dispatchers will handle eastward track (No. 2) and Rio Grande Division Dispatchers will handle westward track (No. 1) between Tucson and Mescal. Double track forms D-R and D-S must not be used. If, in event it becomes necessary to move a train against the current of traffic, it must be run extra specifying the track to be used and single track rules will apply between such trains and those moving normally. Dispatchers must create work extras only on their respective tracks.

(B) Tucson Division Dispatchers may issue orders under form G example 1, and forms F and K applying westward Mescal to Tucson over westward track (No. 1).

(C) Rio Grande Division Dispatchers may issue orders under form G example 1, and forms F and K applying eastward Tucson to Mescal over eastward track (No. 2).

(D) Before moving an eastward extra against the current of traffic on westward track (No. 1), a transfer of orders issued under form G example 1, and forms F and K applying between Mescal and Tucson must be obtained from Dispatcher of eastward track (No. 2).

(E) Before moving a westward extra against the current of traffic on eastward track (No. 2), a transfer of orders issued under form G example 1, and forms F and K applying between Tucson and Mescal must be obtained from the Dispatcher of westward track (No. 1).

(F) Rio Grande Division eastward trains must obtain two clearances before leaving Tucson, one marked Tucson Division and one marked Rio Grande Division.

Rule 83 (D) will not apply at Mescal. Trains will be governed by train order signal.

AIR BRAKES

1 Freight train tonnage must not exceed an average of 80 Ms per operative brake between Russia and La Luz, 120 Ms per operative brake between Indian Divide and Walnut, and 160 Ms per operative brake between Cabeza and Campana.

2 Passenger trains will make running air test as follows:
Westward before passing Cabeza.
Eastward and Westward before passing M. P. 1488.85.

3 Standing airbrake tests must be made by freight trains immediately prior to departure at:

Russia, westward
Cloudcroft, westward
High Rolls, westward
Indian Divide, westward
Walnut, westward
Mosquero, westward
Cabeza, westward
Medio, westward
Sonoita
Kelton
Gleeson
Courtland
South Siding.

4 Westward trains between Mosquero and Campana, and on the Capitan and Cloudcroft Lines must use 90 pounds brake pipe pressure.

USE OF RETAINERS

10 Conductor and engineer after consulting may use necessary retainers **on train of less than 100 Ms per operative brake, when such train has loads on** head end, or when it is necessary to adjust slack.

Westward trains will use all retainers from Cabeza to Campana, from Indian Divide to Walnut, and from Zora to Orogrande. Retainer line must be coupled up and in use throughout entire train from Russia to Alamogordo.

Sufficient retainers will be used on Westward trains between Planeport and El Paso to adjust slack.

11 Where retainers are used the rate of speed of freight trains on any grade of 1% or over will not exceed twenty-five miles per hour, and on grades of this character, more than five miles long, for the first five miles the time consumed in traveling any one mile shall not be less than three minutes. This will not be authority to exceed other specified speed restrictions.

12 Ore trains between Don Luis and Douglas, handled by engines equipped with cross compound air compressor, will use fifty per cent of retainers Don Luis to Bisbee Junction. Trains, handled by engines not equipped with cross compound air compressor, will use all retainers Don Luis to Bisbee Junction and fifty per cent of retainers Bisbee Junction to Forrest.

AUTOMATIC BLOCK SYSTEM

Signals No. 1 track from west switch Mescal to west switch Empire are single track signals and from west switch Empire to Tucson are double track signals. Signals between Anapra and Tower 6 on tracks Nos. 1 and 2 are single track signals.

Between Polvo and Tucson, automatic signals are on the left and signals used by trackmen will be placed on the left of the track in the direction of movement.

Signals displaying indication in both upper and lower quadrants are in service. Indications of upper quadrant type are as follows:

Home Signals

"Arm extended at right angles to the Signal Mast by **day and in addition** red light by night indicates STOP."

"Arm extended upward at an angle of 90 degrees by **day and in addition** green light by night indicates—PROCEED."

Distant Signals

"Arm extended at right angles to the Signal Mast by **day and in addition** yellow light by night indicates—CAUTION."

"Arm extended upward at an angle of 90 degrees by **day and in addition** green light by night indicates—PROCEED."

RULE 509. When a block signal in advance of facing point oil buffer spring switch indicates stop, careful examination of switch must be made before passing over it.

When stopped at block signals 14403 or 14396 Carrizozo, 15246, 15259, 15252 or 15253 Vaughn, 15682 or 15689 Santa Rosa, trains may then proceed with caution not exceeding twelve miles per hour to next home signal. In foggy or stormy weather flagman must precede train.

Anapra:

East switch of the east cross-over, and west switch of the west cross-over at Anapra are oil buffer spring switches.

Speed of trains over either switch is restricted to 15 miles per hour facing and to 30 miles per hour trailing the points.

Trains trailing must not take up slack or back up until switch has been thrown by hand.

When necessary to throw either switch by hand, lever must be operated slowly, keeping a steady pressure on lever until points are against the stock rail.

No running switches are permitted.

Benson Jct.:

Eastward Benson-Fairbank Line trains must not occupy track between block signal limit sign (on Benson Line) and Benson Junction switch, while waiting for main line trains, and must not enter block signal circuit without timetable or train order authority unless protected in accordance with Rule 99.

INTERLOCKING

Mescal:

Interlocking signals of the Rio Grande Division will display indication in the upper quadrant (See description under Automatic Block System.)

Limits are between home signals governing east switch of east crossover and west switch of west crossover of the Rio Grande Division, and home signals governing east switches and west switches of sidings of the Tucson Division. Switches are controlled by signal operator, except switch leading from North Siding to cinder track, to spur track, from South Siding on both legs of wye and to west end of coal track.

Switch and derail at east end of coal track are hand throw switches but must not be used until permission is secured from signal operator.

Where yellow hand signals cannot be seen, trains stopped will call the signal operator and secure permission to proceed; also to throw switch by hand in event the remote control appliance is inoperative.

Whistle Signals as follows:

Eastward trains enroute Rio Grande Division—one long and four short.

Eastward trains for South Siding—one short, one long and one short.

Eastward trains from South Siding to Rio Grande Division—one short, one long and two short.

Westward trains from North Siding to Track No. 1—two long and two short.

Westward Rio Grande Division trains enroute Track No. 1—one long, one short and one long.

Westward trains from Rio Grande Division through East Crossover—one short, two long and one short.

Route must be secured from signal operator for other movements.

The beginning of the Rio Grande Division single track is at east switch of east crossover.

El Paso—Tower 6:

(Note.—Upper arm at switch leading to Union Depot governs route to Union Depot track. The lower arm governs the route to either the T. & N. O. or Pacific Lines Freight Yard.)
Whistle signals as follows:

Main track movements in either direction with current of traffic—one long.

Main track movements between Pacific Lines No. 2 Track and T. & N. O. double track in either direction—one short, one long and one short.

Other main track movements in either direction against current of traffic—one short and two long.

T. & N. O. Union Depot connection, from any direction—one long and one short.

Pacific Lines Union Depot connection, from any direction—one long, one short and one long.

El Paso—Tower 47:

Whistle signals as follows:

Main track movements in either direction with current of traffic—one long.

Main track movements in either direction against current of traffic—one short and two long.

North lead, Eastward—one long and one short.
North lead, Westward—one long, one short and one long.
South lead, Eastward—one short, two long and one short.
South lead, Westward—two short and two long.
To T. & P. main track—two short, one long and one short.
Westward to west yard—one short, one long and two short.
To East Yard—two long and two short.
Eastward to West Yard—one short, one long and one short.
To Alamogordo Subdivision from T. & N. O. Yard—one long, two short and one long.
From West Yard to Alamogordo Subdivision—three long and one short.
From Alamogordo Subdivision to T. & N. O. Yard—one long.
From Alamogordo Subdivision to West Yard—two short, two long and one short.
S. P. Shop Lead Eastward from any point—two short, two long and two short.
S. P. Shop Lead Westward from any point—two short, one long and two short.
S. P. Roundhouse Lead Eastward—One short, two long and two short.
S. P. Roundhouse Lead Westward—two short, two long and one short.

MISCELLANEOUS

20 Helpers may be placed behind caboose if of steel underframe construction and cars ahead of caboose are not rear end cars; otherwise cut in ahead of twenty-five per cent of tonnage, or more if necessary to cut in ahead of all rear end cars; or if in opinion of conductor conditions are favorable helpers may be put on head end of train.

21 Helper must not couple to, or uncouple from train, while train is in motion.

22 Trainmen and yardmen, handling or placing passenger equipment (except official cars) in freight trains, **must place such equipment next to caboose, provided rear end freight cars in train will permit.**

23 Engine crews, using coal burning engines, must keep ash pans closed **while running, and dump cinders only at water columns or coaling stations, except in an emergency. Crews dumping cinders must thoroughly wet and know** that fire is extinguished, except where there is a cinderman to do so. If dumped on main track except at water stations where ties are covered, they must be shoveled from track. At coal chutes which are constructed of wood engines must be moved a safe distance before dumping, to prevent fire.

24 Where conditions require, passenger engineman will make additional **water stops, if necessary, to use sprinkler properly in dusty territory, or where engines regularly clean fires, or where track has been disturbed by track men.**

EL PASO TERMINAL

35 Between Tower 47 and Tower 6, El Paso, the north track will be known as T&NO track No. 1 and the south track as T&NO track No. 2. Main tracks between Tower 47, El Paso (Octavia Street), and El Paso (Union Depot) and Tower 6 will be used jointly by trains of the T&NO and Rio Grande Division. Trains between these points will run with caution, expecting to find main track occupied. Second class and inferior trains and engines must not occupy main track between these points when it is known a first class train will be delayed. T&NO and Alamogordo Subdivision eastward first class trains use T&NO track No. 2 from El Paso Union Depot connection to Tower 47. T&NO and Alamogordo Subdivision westward first class trains use T&NO track No. 1 from Tower 47 to El Paso Union Depot connection. Trains and engines from Deming Subdivision use T&NO track No. 2 between Tower 6 and El Paso Union Depot connection to El Paso (Octavia Street) T&NO yard.

36 Eastward movements trailing thru oil buffer spring switch at east end of icehouse track, El Paso, west of Tower 6, must not exceed 25 miles per hour. Trains trailing must not take up slack or back up until switch has been thrown by hand. When necessary to throw switch by hand, lever must be operated slowly, keeping a steady pressure on lever until points are against the stock rail. No running switches are permitted.

37 Trains must approach junction switches of Ice House Crossover with caution.

38 Trains, entering or leaving Union Passenger Depot Yard, will do so with caution.

39 Before detaching engine in El Paso, T&NO freight yard, brakes must be set on at least five cars on east end of train when train or part of train is left west of Octavia Street.

40 Inferior trains may run ahead of first class trains between El Paso and **Anapra without a train order to do so but must avoid delay to such trains.**

41 Movements over No. 1 and old No. 2 tracks between Octavia Street and Tower 6 must be preceded by flagman over crossings at El Paso, Santa Fe, Oregon, Mesa, Stanton, Kansas and Campbell Streets.

42 Movements on River Track over following crossings must be preceded by **flagman:**

Dallas Street
Bassett Avenue
Magoffin Avenue
Myrtle Avenue
Texas Street
East San Antonio Street

43 Switch west end of Ice House crossover is a remote control and operated by signal operator from Tower 6. In event the remote control appliance is inoperative, trains stopped will call signal operator by telephone and secure permission to throw switch by hand. To throw switch by hand after securing permission from signal operator crank must be secured from container, located on side of battery booth. On end of driving shaft is a cap secured by lock. Cap must be removed and crank inserted, grinding switch until it locks to route desired, after which signal operator can clear signal if in working order. If not, he will issue instructions to proceed with caution. The switch must be relined, cap restored and crank replaced.

44 East leg of Pacific Lines wye connecting Alamogordo Subdivision main track with roundhouse lead at El Paso cannot be used by engines with more than 11-foot rigid wheel base.

45 Trains entering El Paso which become disabled and block street crossings will, as soon as possible, call yardmaster in order to secure assistance of yard engine to avoid unnecessary delay in clearing street crossings.

EL PASO-LORDSBURG

50 The use of engines on yard and other tracks is restricted as follows:

Lordsburg—Larger than consolidation class must not be used on transfer **and house tracks, A. & N. M. yard.**

Deming—Larger than consolidation must not use Continental Oil spur.

51 House track at Deming must be kept clear between east switch and **Gold Avenue.**

52 At Deming an opening of at least two cars must be made on interchange **track opposite water column near coal chute.**

53 Water Spout at Akela must be pointed east when not in use.

54 Eastward freight trains take full tank of water at Deming and only enough at Afton to reach El Paso.

EL PASO-TUCSON

70 The use of engines on yard and other tracks is restricted as follows:

Douglas—SP-1, SP-2, F-1, F-3, F-4 and F-5 class engines must not use Government Spur.

Engines larger than consolidation class must not use following tracks:

Lewis Springs—West leg of wye.
Naco—Old wye spur.
Bisbee Jct.—Connection between ore track and Bisbee Pocket.

71 At Columbus take water from water column. Water may be taken from the water tank when water column is out of order.

72 In switching Pauls Spur use air brakes on all cars.

73 An opening of five car lengths must be left each side of crossing east of Naco passenger station.

74 Movements must be preceded by flagman over the following crossings at Douglas:

Queen track—All street crossings.
Nacozari lead—Park crossing.
16th Street crossings (when crossing bell is inoperative).

75 Movements must be preceded by flagman over the following crossings at C. & A. Smelter:

Crossing Nos. 1 and 2 tracks.
Crossing on lead to Acid Loading Plant.
Crossing on lead to Calcine track.

76 Reduce speed and look out for drifted sand and caving banks, both **approaches to Rio Grande Tunnel and between the Tunnel and Mastodon, also** for fallen rocks on curve between Milepost 1053.5 and 1053.8.

77 Westward freight trains take full tank of water at Rodeo, if no unusual delay will result, and avoid taking water at Apache.

78. Conductors must ascertain if Bus Line connection has arrived at Bisbee Junction, and if not, if they are to wait.

79. Water must not be taken at Marsh or Rita except in an emergency and then only enough to make Tucson.

Westward trains must have sufficient water to make Tucson before passing last water tank east of Mescal.

EL PASO-TUCUMCARI

90 Look out for drifted sand between Planeport and Hueco, Turquoise and Paxton, and switches at Temporal and Robsart; and for fallen rocks and trees after rains or thaws between Arabella and Pintado, and Santa Rosa and Hawks.

91 Report to Chief Train Dispatcher from first point of communication, any leak in water service pipe line between Carrizozo and Pastura.

92 Freight trains taking water at Alamogordo from main track, will, when practicable, use East water column so as to avoid dumping cinders around switch and frog of East switch to house pocket.

When on siding cinders can be dumped at either column, and freight train on siding should use West column.

93 East end of brick plant track, Ancho, between east switch and point 250 feet West, cannot be used by SP-1, SP-2, F-1, F-3, F-4, and F-5 class engines, account sharp curvature.

94 Normal position of inside cutoff switch East end Pastura siding is lined and locked for stock track.

BENSON-FAIRBANK LINE

100 In switching at the Apache Powder Company's plant at Curtiss the **following will apply:**

Crews must look out for vehicles, and movements must not exceed six miles per hour over crossings.

The whistle and bell must be used approaching crossing near Apache Powder Co. Office.

Movements over highway crossing on spur leading to plant must be preceded by flagman.

CALABASAS LINE

110 The load limit for the following bridges is loaded cars of 100,000 lbs. capacity.

1051G San Pedro
1055D Babacomari
1067B Babacomari
1085A Sonoita
1097B Sonoita
1097E Sonoita
1098A Sonoita
1104D Sonoita
1108B Sonoita

111 Oil cars of over 7,500 gallons capacity and low cars weighing over 101,000 lbs. gross must not be handled between Sonoita and Calabasas.

112 Trains from the Calabasas Line must not occupy Main Line at Fairbank **between the junction and passenger station except under protection of a flag.**

BISBEE LINE

120 Class C-19 and heavier type engines must not use the following tracks **in Bisbee District:**

Holbrook Lumber tracks,
Shattuck Spur tracks,
Gardner High Line including Irish Mag,
Czar loading spur,
Gardner Mill spur,
Briggs spur tracks,
Oliver mine track.

121. Campbell Shaft Track, Denn Spur, must not be used beyond points indicated by signs: "Limit of Southern Pacific Switching Operations."

122 East and west wye switches at Don Luis must be lined normally for **Don Luis Yard.**

123 If it can be avoided engines must not push trains between Bisbee Junc**tion and Don Luis.**

124 Engines going to Don Luis must take full tank of water at Bisbee **Junction.**

COCHISE-DOUGLAS LINE

130 Flagman must precede movements over road crossing at Germania **shaft and street crossings on Humboldt Line at Courtland.**

131 Consolidation engines, larger than C-18 class, must not use mine tracks **at Pearce, Gleeson and Courtland.**

132 At Kelton trains must not exceed 10 miles per hour between switches **connecting Courtland and Gleeson Lines.**

CLIFTON LINE

145 Going east take a full tank of water at Guthrie and only enough at Clifton to reach Guthrie on westward movement.

146 Tunnels between Milepost 1212.1 and 1214.5 are numbered 1 to 6, com**mencing at Clifton. Approach Tunnel 6 with caution.**

147 Within the third rail territory of Clifton District P. D. Co. movements must be protected against Southern Pacific trains and all movements must be made with caution. Within city limits Clifton speed of trains or engines over street or highway crossings must not be greater than 5 miles per hour.

148 Engines, using main lead in lower yard at Smelter, will sound whistle when approaching crossings, at both east and west end of converter building.

LORDSBURG-HACHITA LINE

150. Trains moving into Lordsburg Yard must call Lordsburg telegraph office by telephone, which is located in a box on pole near derail just west of A. & N. M. Junction on Lordsburg-Hachita Line, before closing derail and get check of all overdue superior trains.

151 Do not take water at Brockman.

TYRONE LINE

160 At Tyrone, tracks leading to mine, switchback, and lumber track must not be used. Track under ore bin must not be used by engines and high cars. Switching movements on tracks under trolley wires must not exceed six miles per hour.

161 Account of heavy grade at Tyrone, crews will not place cars on house track between freight house platform and house track switch, nor on team track between team track switch and a point 200 feet from end of track, the **latter point being designated by a white post.**

TOMBSTONE LINE

170 Bunker Hill tracks, Tombstone, must not be used beyond points indicated by signs: "Limit of Train Operation—End of Maintenance," and engines heavier than TW class must not be used on Schuster Siding.

TUCSON

180 Trains must stop before passing over crossing of Nogales Line and South Line tracks.

181 Trains must be preceded by a flagman before crossing Congress Street, South Yard, Tucson.

182 At least 15 hand brakes on west end and 10 hand brakes on east end must be set on all freight trains arriving North Yard, Tucson. These brakes must be set with brake club after train has stopped. At least 7 hand brakes must be set on west end of each cut of cars in PFE Yard, and on SP tracks Nos. 1, 2 and 3 at least 15 hand brakes must be set on west end. Brakes to be set commencing at the west and east ends of train or cut. An employe releasing any of these brakes will be held responsible to see that the same number are set before releasing.

183 After engine is spotted for taking oil, two hand brakes must be set on the head end and two on rear end of passenger trains.

184 Trains moving westward, except first class and light engines must not pass crossover switch near Block Signal 9851, without proceed signal from yardman.

185 Trains will move through yard limits not to exceed the following speeds, complying with Rule 93:

BETWEEN	MILES PER HOUR		
	Passenger	Freight	Light Eng.
South Line Junction and Block Signal 9851 (North Yard)	15	15	15
South Line Junction and South Yard Junction via South Line	15	15	15
South Line Crossing and North Yard via Nogales Line	15	15	15
Westward main track Block Signals 9883 and 9851		20	20

CLOUDCROFT LINE

190 Normal position for switch of wye Cloudcroft end, Alamogordo Junction, will be for the East leg.

191 Trainmen will lock switches at East and West ends of Switchback between Toboggan and Baileys for Westward trains, when cars are left on either end of Switchback.

192 When necessary to turn at Toboggan, enter West leg of wye.

193 Look out for fallen rocks and trees between La Luz and Russia.

194 Cars must not be cut off while in motion.

JARILLA LINE

200 Trains must move with caution on heavy grades and curves.

CAPITAN LINE

210 Normal position of switch of wye Capitan end, Carrizozo Junction, will be for the West leg.

211 Look out for fallen rocks and trees between Walnut and Coalora.

212 Cars must not be cut off while in motion.

DAWSON LINE

220 Look out for drifted sand between Tucumcari and Canadian and between Abbott and Colfax, and fallen rocks and trees between Canadian and Cabeza.

221 Westward trains must not follow each other closer than fifteen minutes between Cabeza and Campana.

222 While handling cuts of cars from loading tipples to train yard, Dawson, air brakes must be cut in and used on all cars.

223 Crossing with A. T. & S. F. Railway Company track at Colfax is protected with gate, normal position of which is located across A. T. & S. F. track. Approach this crossing with caution.

SPEED RESTRICTIONS

MAXIMUM SPEED OF PASSENGER TRAINS IS 50 MILES PER HOUR EXCEPT BETWEEN LORDSBURG AND STRAUSS, PERILLA AND MASTODON, FT. BLISS AND TUCUMCARI, THE MAXIMUM SPEED IS 60 MILES PER HOUR, UNLESS WATER CAPACITY OF ENGINE TENDER IS LESS THAN NINE THOUSAND GALLONS, WHEN THE MAXIMUM SPEED OF 50 MILES PER HOUR MUST NOT BE EXCEEDED, EXCEPT ENGINES 3100 TO 3109 INCLUSIVE MAY MAKE SPEED NOT EXCEEDING 60 MILES PER HOUR BETWEEN LORDSBURG AND STRAUSS, PERILLA AND MASTODON, FT. BLISS AND TUCUMCARI. SPEED OF 50 MILES PER HOUR MUST NOT BE EXCEEDED ON ANY CURVE.

MAXIMUM SPEED OF FREIGHT OR MIXED TRAINS IS 35 MILES PER HOUR EXCEPT BETWEEN LORDSBURG AND STRAUSS, PERILLA AND MASTODON, FT. BLISS AND TUCUMCARI, THE MAXIMUM SPEED IS 40 MILES PER HOUR. SPEED OF 35 MILES PER HOUR MUST NOT BE EXCEEDED ON ANY CURVE.

MAXIMUM SPEED OF C-2 TO 10 INCLUSIVE AND C-18 TO 29 INCLUSIVE CLASS ENGINES IN PASSENGER SERVICE IS 45 MILES PER HOUR. MAXIMUM SPEED OF MK-5, 6, 7, 8, 9 CLASS ENGINES IN PASSENGER SERVICE IS 50 MILES PER HOUR.

MAXIMUM SPEED OF SP-1, SP-2, F-1, F-3, F-4, AND F-5 CLASS ENGINES IN PASSENGER SERVICE IS AS FOLLOWS:

(a) Tangent track—45 miles per hour.

(b) On curves—5 miles per hour less than passenger engines.

TRAINS MUST NOT EXCEED THE SPEED IN MILES PER HOUR AS SHOWN BELOW. THIS DOES NOT AUTHORIZE EXCEEDING OTHER SPEED RESTRICTIONS.

Pages	BETWEEN	Passenger	Freight or Mixed	Engines or Motor Cars Backing	Motors or Engines Backing Thru Yds. & Hy Xings
	Crossovers and turnouts	15	15	10	10
2	Tucson-Mescal	50	35	20	10
2	Mescal Interlocking Limits, turnouts and on East connections, and turnouts and on West connections, when using normal route	35	25	15	10
2	Switches, wye, Bisbee Jct.	10	10	10	10
2	14th and 16th Street Crossings at Douglas	10	10	10	10
2	16th Street and junction Cochise Line at Douglas	30	20	20	10
2-3	Mescal-Perilla	50	35	20	10
3	Rodeo, over road crossing just west of station.	30	20	20	10
3	14th and 16th Street Crossings at Douglas	10	10	10	10
3	16th Street and junction Cochise Line at Douglas	30	20	20	10
3	Perilla-Mastodon	60	40	20	10
3	Mastodon-Anapra	50	35	20	10
3	Columbus, over road crossing just west of station	30	20	20	10
4-5	Lordsburg-Strauss	60	40	20	10
4-5	Strauss-Anapra	50	35	20	10
4-5	Anapra-El Paso	50	35	20	10
4-5	Tower 6—El Paso Union Passenger Depot	10	10	10	10
4-5	El Paso, Street Crossings	10	10	10	10
5	Hachita-Lordsburg	40	35	15	10
5	Lordsburg-Duncan	40	35	15	10
5	Mile Post 1202.5-Duncan	30	25	15	10
5	Smelter-Mile Post 1202.5	20	20	15	10
5	Smelter-Clifton	15	15	15	10
5	Oil Siding-Valedon	15	15	15	10
5	Burro Mtn. Jct.-Tyrone	20	20	15	10
6	Bisbee-Bisbee Jct.	25	20	15	10
6	Corta-Lowell via Don Luis	25	20	15	10
6	Cochise-Douglas	25	25	15	10
6	14th and 16th Street Crossings at Douglas	10	10	10	10
6	16th Street and junction Cochise Line at Douglas	30	20	20	10
6	Switches, Wye, Bisbee Jct.	10	10	10	10
6	Switches, Wye, Don Luis	6	6	6	6
6	Fairbank-Calabasas	25	25	15	10
6	Benson Jct.-Benson	25	20	15	10
6	Tombstone-Fairbank	20	20	15	10
6	Ft. Huachuca-Lewis Springs	25	25	15	10
7	Interlocking limits, Tower 47, El Paso	10	10	10	10
7	El Paso, Street Crossings	10	10	10	10
7-8	Ft. Bliss-Tucumcari	60	40	20	10
8	Wye, Corona	5	5	5	5
8	Over Pintado Canyon, bridge 1561-B	35	30	20	—
9	Orogrande and end of track Zora	12	12	12	10
9	Alamogordo-La Luz	20	20	20	10
9	La Luz-Russia	12	12	12	10
9	Carrizozo-Mile Post 1450	20	20	20	10
9	Mile Post 1450-Capitan	12	12	12	10
9	Tucumcari-Campana	35	30	20	10
9	Cabeza-Campana, westward	15	15	15	10
9	Cabeza-Campana, eastward	25	25	20	10
9	Cabeza-Dawson	35	30	20	10
9	Dawson, over road crossing just east of station	4	4	4	4
9	Dawson, over road crossing just south of Loretto tipple	4	4	4	4
9	Tucumcari-Dawson, Mikado type engines over following bridges: 1631-A, 1639-A, 1644-A, 1647-C, 1648-C, 1740-D	15	15	15	

SPEED TABLE

Miles per Hour	1 Mile in Min.	Sec.	Miles per Hour	1 Mile in Min.	Sec.	Miles per Hour	1 Mile in Min.	Sec.	Miles per Hour	1 Mile in Min.	Sec.	Miles per Hour	1 Mile in Min.	Sec.
6	10		21	2	51	31	1	56	41	1	27	51	1	11
8	7	30	22	2	43	32	1	52	42	1	25	52	1	9
10	6		23	2	36	33	1	49	43	1	23	53	1	8
12	5		24	2	30	34	1	45	44	1	21	54	1	7
15	4		25	2	24	35	1	42	45	1	20	55	1	6
16	3	45	26	2	18	36	1	40	46	1	18	56	1	4
17	3	31	27	2	13	37	1	37	47	1	16	57	1	3
18	3	20	28	2	8	38	1	34	48	1	15	58	1	2
19	3	9	29	2	4	39	1	33	49	1	13	59	1	1
20	3		30	2		40	1	30	50	1	12	60	1	0

Wooden passenger cars, when used in main line service, must be equipped with steel center sills and steel platforms, except:

(a) Wooden baggage, express and other head-end cars not so equipped may be used, when entire consist of train is composed of such equipment, or may be handled on head end of passenger trains, provided consist thereof does not exceed seven cars, and inspection indicates movement can be made with entire safety.

(b) Wooden passenger-carrying cars not so equipped may be used in local passenger trains and in local extras, operated account Holiday or excursion traffic, provided speed of such extras is restricted to forty miles per hour. When consist of local regular or extra trains contain both wooden and steel passenger-carrying cars, the wooden equipment must be kept together on the rear.

Yard engines, in service, must not exceed twenty miles per hour.

Trains handling steam derricks or pile drivers must not exceed 25 miles per hour and will observe other speed restrictions for freight trains, and trains handling rotary snow plows must not exceed 15 miles per hour. Trains handling industrial cranes will not exceed 30 miles per hour on tangents and 18 miles per hour on curves of 4 degrees or over.

Ore trains must not exceed twenty-five miles per hour between Bisbee Jct. and Calumet.

Engines running light forward must not exceed the maximum speed permitted freight trains unless otherwise directed, except TW and C-14, 15 and 17 classes must not exceed 30 miles per hour and the following classes must not exceed 35 miles per hour:

T-1, 2, 7 to 23, 28, 31, 34, 36;
T-3, 5, 25, 26, 32, 33, 37, 40;
C-2 to 10, inclusive;
C-18 to 29, inclusive;
MK-5, 6, 7, 8, 9;
F-1, 3, 4, 5, 6;
SP-1, 2, 3.

Maximum speed engines backing up with cars, twenty miles per hour.

Maximum speed moving cars ahead of engine, twenty miles per hour.

Engines with rods taken down should not be moved in fast freight trains when possible to avoid it and under no circumstances must they be handled at a speed exceeding the following:

When main rod only is removed	30 miles per hour.
When side rods only are removed	30 miles per hour.
When both main and side rods are removed	20 miles per hour.

SPEED OF TRAINS REGULATED BY ORDINANCE THROUGH CITY LIMITS:

	Miles per Hour
El Paso	10
Deming	8
Mosquero	15

ENGINES TO BE USED AS FOLLOWS:

Dawson Line: MK-5 and 6 class and lighter.

Cloudcroft Line: C-14, 15 and 17 class only.

Capitan Line: C-14, 15 and 17 class only.

Lordsburg-Hachita Line: C-9 class and lighter, except heavier engines may be run not to exceed 20 miles per hour.

Bisbee Line: C-9 class and lighter, except between Bisbee Jct. and Don Luis and between Bisbee Jct. and Warren heavier engines may be run not to exceed 20 miles per hour and when using tracks in Don Luis yard or on wye must not exceed 6 miles per hour.

Calabasas Line:
- E class with not more than 70,000 lbs on drivers.
- T and Mogul class with not more than 100,000 lbs. on drivers.
- TW and Consolidation class with not more than 125,000 lbs. on drivers.

All other Branch Lines: C-9 class and lighter.

SPECIAL INSTRUCTIONS—Continued

STRUCTURES LESS THAN STANDARD CLEARANCE

EL PASO-LORDSBURG

MILE POST	LOCATION	DESCRIPTION	
1168.0	Separ	Water Tank Spout	Over & Side
1188.5	Gage	Water Tank Spout, Main and Siding	Over & Side
1291.9	Brickland	Rock Walls and Bridge Pier, Brickland Spur	Over & Side

EL PASO-TUCSON

MILE POST	LOCATION	DESCRIPTION	
997.8	Rita	Water Crane, Main and Siding	Side
1028.6	Whetstone	Water Crane, Main and Siding	Side
1048.2	Fairbank	Water Crane, Main and Siding	Side
		Oil Crane, Tombstone Main	Side
1069.0	Hereford	Water Crane, Main and Siding	Side
1080.9	Naco	Freight Platform, Spur Track to Naco, Mex.	Side
1085.0	Bisbee Jct.	Water Crane, Main and Siding	Side
		Coal Chute, Main and Coal Track	Side
		Old Pump House, Coal Track	Side
		Cinder Platform, Depressed Cinder Track	Over & Side
1089.0	Crook Tunnel		Overhead and Side
1096.9	Forrest	Water Crane, Main and Siding	Side
		Loading Bin, Paul Spur	Over & Side
1107.0	Douglas	Buildings and Platforms, All Industry Tracks	Side
		Freight Station Platform, Nacozari Main	Side
1121.1	Cazador	Water Tank	Over & Side
1147.1	Apache	Water Tank and Spout	Over & Side
1158.7	Rodeo	Coal Chute, Main and Coal Track	Side
		Water Tank and Spout	Over & Side
1181.4	Antelope	Water Tank and Spout	Over & Side
1206.3	Hachita	Coal Chute, Main and Coal Track	Side
1250.3	Columbus	Coal Chute, Main and Coal Track	Side
1285.6	Mt. Riley	Water Crane, Main	Side
1299.0	Noria	Coal Bin, Stock Track	Side
		Water Crane, Main and Siding	Side
1319.5	Rio Grande Tunnel		Over & Side
1321.3	Overhead Bridge	T&NO Smelter Spur	Over & Side
1295.9	El Paso	Buildings and Platforms, Globe Mills Tracks	Over & Side
		Building and Platform, Neff-Stiles Spur	Side
		Building, K. Z. & M. Spur	Side
	El Paso Pacific Lines Yard	Freight Station Platform, North House Track	Side
		Auto Unloading Platform, Auto Track	Side
		Rock Loading Chute, Dudley & Orr Spur	Over & Side
		Coal Bins, So. West Fuel Co. Spur	Side
		Water Crane, Main Shop Track	Side
1295.9	El Paso Shop Yard	Retaining Wall, Depressed Cinder Track	Side
		Coal Chute, Coaling Tracks	Side
		Coal Chute, Hopper Track	Over & Side
		Store House Platform, House Tracks	Side
	El Paso	Impaired Clearances — both overhead and side, in the form of buildings, bins, platforms, fences, telephone or power poles, overhead telephone or power or high power trolley wires, exist on all tracks leading off of the River Track and out of the old Northeastern Yard.	

BENSON-FAIRBANK LINE

MILE POST	LOCATION	DESCRIPTION	
1033.7	Benson	San Pedro River Bridge	Side
1039.8	Curtiss	Warehouse Platform, Apache Powder Co. Tracks	Side
		Coal Grinder House, Apache Powder Co. Tracks	Side
		Soda House, Apache Powder Co. Tracks	Side

FORT HUACHUCA LINE

MILE POST	LOCATION	DESCRIPTION	
1072.0	Ft. Huachuca	Freight Platform, Main and House Tracks	Side
		Government Structures, Oat Bin Platform and Coal Bin, Main Track	Side
		Repair Shop, Tool House, and Warehouse Platform, Commissary Track	Side

CALABASAS LINE

MILE POST	LOCATION	DESCRIPTION	
1048.2	Fairbank	Water Tank Spout	Over & Side
1051.9		Bridge over San Pedro River	Over
1055.3		Bridge over Babacomari Creek	Over

CALABASAS LINE, Continued

MILE POST	LOCATION	DESCRIPTION	
1067.4		Bridge over Babacomari Creek	Over
1073.8	Elgin	Water Tank Spout	Over & Side
1104.7		Bridge over Sonoita Creek	Over
1108.6		Bridge over Sonoita Creek	Over

BISBEE LINE

MILE POST	LOCATION	DESCRIPTION	
1088.3	Corta	Impaired Clearances — both overhead and side, in the form of buildings, bins, platforms, fences, telephone or power poles, overhead telephone or power wires, exist on all tracks, on the Bisbee Line east of Corta, on both the Corta to Warren to Bisbee and Corta to Don Luis to Bisbee Lines.	
1092.9	Bisbee		

COCHISE-DOUGLAS LINE

MILE POST	LOCATION	DESCRIPTION	
1092.3	Kelton	Water Tank and Spout	Over & Side

GLEESON LINE

MILE POST	LOCATION	DESCRIPTION	
1095.5	Holmes	Freight Platform, Spur	Side

CLIFTON LINE

MILE POST	LOCATION	DESCRIPTION	
1180.9	Franklin	Freight Platform, Siding	Side
1184.3	Duncan	Lumber Sheds and Trees, Lumber Spur	Side
		Water Crane, Main and Siding	Side
		Trees Through Station Grounds, All Tracks	Over & Side
1186.9	Fox	Stock Pen Platform	Side
1192.6	Sheldon	Freight Platform, Siding and Spur	Side
1199.1	York	Freight Platform, Siding	Side
1205.2	Guthrie	Gila River Bridge	Over & Side
		Water Crane, Main	Side
1214.2	Smelter	Buildings, platforms, overhead bridges and trolley wires, Yard Tracks	Over & Side
1216.3	Clifton	San Francisco River Bridge	Over & Side
		Chase Creek Bridge	Side
		Freight House Platform	Side
		Buildings, platforms, Yard Tracks, coal chute, water crane, etc., East of P. D. Co. Store,	Over & Side
1189.2	to 1216.4	Rock Cuts	Side
1212.1	to 1214.5	Tunnels Nos. 1, 2, 3, 4, 5 and 6	Over & Side

VALEDON LINE

MILE POST	LOCATION	DESCRIPTION	
1150.7	Lawrence	Ore Loading Platform, Spur	Side
1151.2	Valedon	Between Lawrence and Valedon First Rock cut, old platform and concrete wall, ore loading chute, coal bin, rock wall, store building, coal and hay unloading chutes, Main and Spur Tracks	Over & Side

LORDSBURG-HACHITA LINE

MILE POST	LOCATION	DESCRIPTION	
1148.3	Oil Siding	Two Ore Platforms, Spur	Side
1157.9	Robert	Stock Chute Platform, Siding	Side
1168.5	Brockman	Tank and Water Crane, Main and Siding	Side

TYRONE LINE

MILE POST	LOCATION	DESCRIPTION	
1251.2	Mill Spur	Ore Unloading Bins, Mill Yard	Over & Side
1252.7	Tyrone	Main Supply Platform, Mine Yard Track	Side
		Gate to P. D. Lumber Yard, Mine Track	Over & Side
		Trolley Wires and Poles, Mine Yard Tracks	Over & Side
		Freight House Platform, House Track	Side
		P. D. Warehouse Platform, Main Track	Side
		Shed over Concentrator Filter, Scale Track	Over

EL PASO-OROGRANDE

MILE POST	LOCATION	DESCRIPTION	
1316.1	Newman	Water Column, Main Track and Siding	Side

JARILLA LINE

MILE POST	LOCATION	DESCRIPTION	
1345.0	**Orogrande**	**West End Cinder Incline, Main Track**	**Side**
1348.5	**Lucky Mine**	**Lucky Mine Ore Bins, No. 2 Spur**	**Side**
		Loading Tipple, Tracks No. 1, 4 & 5	**Over & Side**

OROGRANDE-ALAMOGORDO

MILE POST	LOCATION	DESCRIPTION	
1382.8	Alamogordo	Cinder Loading Platform, Track No. 60	Side
		Ice Plant Buildings, Track No. 35	Side
		Trestle for Conveyor Pipe at Mill, Track No. 101	Side
		Treating Plant Tel. Wire, Track No. 110	Over
		Treating Plant Hoist Cable on Platform, Track No. 110	Over
		Coal Chute, Main Track	Side
		Roundhouse, Track No. 20	Over & Side
		Thomas Store, Track No. 7	Side
		Planing Mill Platform, Track No. 101	Side
		S. W. Lbr. Co. Storehouse, Track No. 101	Side
		Drying rack at Mill Track No. 108	Side
		West End Mill, Track No. 119	Over & Side
		Treat, Plant Plat. & Power Ho., Track No. 111	Side
		Treat. Plant & Platform, Track No. 110	Side
		Treat. Plant Coal Bin, Track No. 111	Side
		Treat. Plant Power House, Track No. 110 & 111	Side
		Breece Lumber Co., Track No. 2, Planing Mill	Side
		Breece Lbr. Co., Track No. 5, Tie Loading Dock	Side
		Breece Lumber Co., Track No. 4, Piles of Lath	Side
		Breece Lumber Co., Track No. 4, Wood House	Side
		Breece Lumber Co., Track No. 1, Piles of Logs	Side
		Breece Lumber Co., Track No. 3, Log Platform	Side
		Breece Lbr. Co., Track No. 1, Power Line Pole	Side

CLOUDCROFT LINE

MILE POST	LOCATION	DESCRIPTION	
1387.0	Oliverlee	Loading Tipple, Spur	Over & Side
1398.6	High Rolls	Freight House Platform, Siding	Side
1400.9	Wooten	Water Treater Platform, Main Track	Side
1408.7	Cloudcroft	Breece Lumber Co., Motor Car House	
		Breece Lumber Co., Connection	Side
		Breece Lumber Co., Tool House, Lbr. Co. Conn.	Side
		Breece Lumber Co., Wood Shed, Lbr. Co. Conn.	Side
		Breece Lumber Co., Eng. Shed, Lbr. Co. Main Track and Siding	Side
		Breece Lumber Co., Oil House, Lbr. Co. Conn.	Side
		Water Tank Spout, Main Track	Over
		Breece Lbr. Co., Conn., N. W. Corner P. O. Bldg.	Side
		Breece Lumber Co., Conn., Dwellings opposite P. O. Building	Side
		Breece Lbr. Co., Conn. Fence, near Tool House	Side

Note—Look out for narrow rock cuts between La Luz and Russia

ALAMOGORDO-CARRIZOZO

MILE POST	LOCATION	DESCRIPTION	
1412.9	Three Rivers	Water Column, Main Track & Siding	Side
1424.5	Oscura	Water Column, Main Track and Track No. 1	Side
		Spout on Water Tank, Track No. 2	Over
1439.9	Carrizozo	Water Column, Cinder Pit Track	Side
		Coal Chute & Sand House, Track No. 20	Over & Side
		Walls, Cinder Track No. 21	Side
		Loading Crane, Track No. 17	Side
		Machine Shop, Track No. 15	Over & Side
		Coal Chute, Hopper Track No. 37	Side

CAPITAN LINE

Note—Look out for narrow rock cuts between Vera Cruz and Indian Divide

CARRIZOZO-TUCUMCARI

MILE POST	LOCATION	DESCRIPTION	
1452.2	Coyote	Pump House, Track No. 3	Side
1463.5	Ancho	Brick Wall, Brick Plant Track	Side
		Water Column, Main Track & Siding	Side
1482.5	Gallinas	Stock Pen Platform, Siding	Side
1490.9	Corona	Stock Pen Platform, Siding	Side
1499.0	Torrance	Warehouse & Stock Pen Platforms, Stock Yard Track	Side
		Station Platform, House Track	Side
1510.6	Duran	Water Column, Main Track & Siding	Side
		Freight House Platform, Track No. 13	Side
1524.7	W. of Vaughn	Concrete Arch, A. T. & S. F. Overhead Crossing, Main Track	Over & Side
1525.4	Vaughn	Water Column, Main Track & Siding	Side
1528.1	Tony	Stock Pen Platform, Siding	Side
1547.2	Pastura	Water Column, Main Track & Siding	Side
		Cinder Loading Incline & Pastura Trading Co. Platform, Siding	Side
1552.4	Guadalupe	Platform, Ore Loading Spur No. 2	Side

SPECIAL INSTRUCTIONS—Continued.

MILE POST	LOCATION	DESCRIPTION	
		CARRIZOZO-TUCUMCARI, Continued	
1563.7	Pintado	Coal Chute, Main Track & Coal Chute Track	Side
1568.3	Santa Rosa	Water Column, Main Track & Siding	Side
		Moise Bros. Store & Warehouse, Ind'y Track No. 18	Side
		Coury Garage, Ind'y Track No. 18	Side
1585.8	Cuervo	Bond & Weist Platform & Warehouse, Stock Yard Track	Side
1627.4	Tucumcari	Sand House & Coal Chute Eng. House, Track No. 85	Side
		Coal Hoist, Tracks Nos. 85 & 20	Side
		Coal Hoist, Engine House, Track No. 21	Side
		Walls, Cinder Pit, Tracks Nos. 22 & 49	Side
		Car Repairers' Office, Track No. 86	Side
		Roundhouse & Machine Shop Doors, Track No. 45	Over & Side
		Roundhouse Doors, Track No. 31	Over & Side
		Machine Shop Coal Bin, Track No. 31	Side
		Freight House Platform, Tracks on both sides	Side
		Pump House & Cinder Loading Incline, Track No. 43	Side
		Sinclair Oil Co. Fence, Track No. 42	Side
		Tucumcari Ice Co. Buildings & Coal Bins, both sides, Track No. 42	Side
		Electric Light Co. Coal Bin, Track No. 42	Side
		Tucumcari Light & Power Co. Wire, 5th Street	Over
		Goldenberg's old Concrete Vault, Track No. 47	Side
		DAWSON LINE	
1639.0	Bridge 1639-A	Steel Bridge over Canadian River, Main Track	Over & Side
1673.0	Cabeza	Coal Chute, Main Track and Coal Chute Track	Side
1686.3	Solana	Stock Pen Platform, Siding	Side
1696.1	Roy	Floersheim Warehouse & Platform, Ind'y Track No. 3	Side
		Freight House Platform, Ind'y Track No. 3	Side
1706.4	Mills	Wilson Co. Elevator, Spur No. 6	Side
1715.6	Abbott	Wilson Co. Elevator, Spur	Side
1729.8	Taylor	Coal Chute, Main Track & Track No. 3	Side
1759.4	Dawson	Water Column, Tracks Nos. 16 & 17	Side
		Scale House, Tracks Nos. 7 & 9	Side
		Sand House, Tracks Nos. 16 &17	Side
		Water Loading Crane, Track No. 15	Side
		Walls, Depressed Track No. 18	Side
		Coal Unloading Trestle, Track No. 25	Side
		Oil House, Track No. 38	Side

Note—Look out for narrow rock cuts between Tucumcari and Cabeza

Employes are warned that it is dangerous to ride on top or sides of cars at previously mentioned points.

Bunks on log cars, such as are used on the Cloudcroft Line, will not clear stock pen platforms.

LOCATION HOSPITAL STRETCHERS

EL PASO UNION DEPOT
EL PASO YARD OFFICE
DOUGLAS PASSENGER STATION
DOUGLAS YARD OFFICE
TUCSON
LORDSBURG
FAIRBANK
DEMING
BISBEE JCT.
BISBEE
HACHITA
ALAMOGORDO
CARRIZOZO
VAUGHN
DAWSON
TUCUMCARI

HOSPITALS

GENERAL HOSPITAL, S. P. Hospital — San Francisco, Cal.
DIVISION HOSPITALS { Hotel Dieu — El Paso, Texas
St. Mary's — Tucson, Ariz.

Note.—Emergency surgeons should only be summoned for temporary treatment when prompt attention is required and when patients cannot be sent to or await arrival of Division or District Surgeon.

Location	Physicians and Surgeons' Names	Title
San Francisco	Dr. W. B. Coffey	Chief Surgeon and Manager
Tucson	Dr. C. A. Thomas	Division Surgeon
Tucson	Dr. S. C. Davis	Division Surgeon
Tucson	Dr. J. B. Littlefield	Assistant Surgeon
Tucson	Dr. V. G. Presson	Assistant Surgeon
Tucson	Dr. R. A. Wilson	Assistant Surgeon
Tucson	Dr. M. C. Comer	Oculist and Aurist
Tucson	Dr. T. H. Cates	Assistant Oculist and Aurist
Benson	Dr. J. N. Morrison	District Surgeon
Benson	Dr. R. E. Yellott	Assistant District Surgeon
Cochise	Dr. J. B. Ellis	District Surgeon
Lordsburg	Dr. C. P. Austin	District Surgeon
Lordsburg	Dr. C. B. Austin	Assistant District Surgeon
Clifton	Dr. C. H. Laugharn	District Surgeon
Duncan	Dr. A. G. Neighbor	District Surgeon
Deming	Dr. F. D. Vickers	District Surgeon
Deming	Dr. J. G. Moir	Assistant District Surgeon
Tyrone	Dr. Carl Hagan (Silver City)	Emergency Surgeon
El Paso	Dr. R. L. Ramey	Division Surgeon
El Paso	Dr. H. H. Varner	Assistant Division Surgeon
El Paso	Dr. E. W. Rheinheimer	Assistant Surgeon
El Paso	Dr. S. F. King	Assistant Surgeon
El Paso	Dr. J. J. Gorman	Assistant Surgeon
El Paso	Dr. J. M. Britton	Oculist and Aurist
El Paso	Dr. F. S. Schuster	Assistant Oculist and Aurist
El Paso	Dr. S. A. Schuster	Assistant Oculist and Aurist
El Paso	Dr. W. L. Brown	Consulting Surgeon (Service limited to consultation with Division Surgeon)
Columbus	Dr. L. S. Johnston	District Surgeon
Hachita	Dr. E. J. Thornberry	District Surgeon
Douglas	Dr. N. V. Alessi	District Surgeon
Douglas	Dr. A. K. Duncan	Assistant District Surgeon
Douglas	Dr. John Cook	Oculist and Aurist
Bisbee	Dr. Robt. Ferguson	District Surgeon
Bisbee	Dr. H. J. French	Assistant District Surgeon
Bisbee	Dr. A. E. Cruthirds	Oculist and Aurist
Naco	Dr. B. C. Tarbell	District Surgeon
Tombstone	Dr. E. M. Parham	District Surgeon
Alamogordo	Dr. F. B. Evans	District Surgeon
Alamogordo	Dr. J. G. Holmes	District Surgeon
High Rolls	Dr. W. P. Shelley	District Surgeon
Tularosa	Dr. H. E. Whitacre	District Surgeon
Carrizozo	Dr. F. H. Johnson	District Surgeon
Carrizozo	Dr. M. G. Paden	Consulting Surgeon (Service limited to consultation with District Surgeons or when they are not available)
Carrizozo	Dr. P. M. Shaver	District Surgeon
Corona	Dr. R. R. Green	District Surgeon
Duran	Dr. A. A. Sanford	District Surgeon
Vaughn	Dr. J. W. Kinsinger	District Surgeon
Santa Rosa	Dr. Z. E. Funk	District Surgeon
Tucumcari	Dr. O. E. Brown	District Surgeon
Tucumcari	Dr. C. H. Ferguson	Assistant District Surgeon
Mosquero	Dr. D. C.Daniel	District Surgeon
Roy	Dr. M. D. Gibbs	District Surgeon
Dawson	Dr. C. S. Hart	District Surgeon
Dawson	Dr. L. A. Dewey	Assistant District Surgeon

Trainmasters

W. S. FORD	Douglas, Ariz.
J. M. TREFREN	Lordsburg, N. M.
T. W. CARDWELL	Carrizozo, N. M.
J. W. CORBETT	Tucumcari, N. M.

Road Foremen of Engines

A. G. NEWELL	El Paso, Texas
M. L. HULL	Tucumcari, N. M.

Chief Train Dispatcher

H. G. BONORDEN	El Paso,Texas

Assistant Chief Train Dispatchers

F. O. LOCKHART	El Paso, Texas
H. DIXON	El Paso, Texas

J. P. NASH, Assistant Superintendent, El Paso, Texas

DIVISION MILEAGE

	Main Lines				
Lordsburg to El Paso	S. P. R. R.			148.00	
	T. & N. O. R. R.			4.00	
End Tucson Division to Tucumcari	E. P. & S. W. R. R.			323.30	
	E. P. & S. W. R. R. of Texas			4.30	
	E. P. & N. E. R. R.			18.22	
	E. P. & N. E. Ry.			124.26	
	E. P. R. I. Ry.			127.51	
	C. R. I. & P. Ry.			60.41	
Total Main Line					810.00
	Branches				
Benson-Fairbank	S. P. R. R.	At Benson, Initial Point E. P. & S. W. R. R.	.01		
	EP&SWRR	Benson, Initial Point E. P. & S. W. R. R. to Benson Jct.	17.57	17.58	
Bisbee	EP&SWRR	Bisbee Jct. to Bisbee		8.03	
Bisbee-Lowell Cutoff	EP&SWRR	Corta to Lowell via Warren		2.84	
Calabasas	EP&SWRR	Fairbank to Initial Point N. M. & A. R. R.	.04		
	N.M.&A.R.R.	Fairbank to Calabasas	59.71	59.75	
Capitan	EP&NERy	Carrizozo Jct. to Capitan		21.29	
Clifton	S. P. R. R.	Lordsburg to Initial Point A. & N. M. Ry.	.03		
	A.&N.M.Ry.	Initial Point N. M. & A. R. R. to Clifton	70.77	70.80	
Cloudcroft	A.&.S.M.Ry.	Alamogordo Jct. to Russia		31.56	
Cochise-Douglas	A. E. R. R.	Cochise to Kelton	27.29		
	EP&SWRR	Kelton to Douglas	30.41	57.70	
Commonwealth	A. E. R. R.	Pearce to Commonwealth Mill		1.33	
Courtland	EP&SWRR	Kelton to Courtland		4.60	
Dawson	Dawson Ry.	Tucumcari to Dawson		131.97	
Fort Huachuca	EP&SWRR	Lewis Springs to Fort Huachuca		14.30	
Gleeson	A. E. R. R.	Kelton to Gleeson		6.81	
Jarilla	EP&NERy	Orogrande to Zora		4.72	
Lordsburg-Hachita	S. P. R. R.	Lordsburg to Initial Point A. & N. M. Ry.	.10		
	A.&N.M.Ry.	Lordsburg to Hachita	38.14	38.24	
Tombstone	EP&SWRR	Fairbank to Tombstone		9.94	
Tyrone	A.T.&S.F.Ry.	Deming to Burro Mountain Jct.	33.30		
	B. Mt. R. R.	Burro Mountain Jct. to Tyrone	13.08	46.38	
Valedon	A.&N.M.Ry.	Oil Siding to Valedon		3.80	
Total Branches					531.64
Total Rio Grande Division					1341.64

RATING OF LOCOMOTIVES—RIO GRANDE DIVISION

IN M's OF 1000 LBS. BACK OF TENDER

MAIN LINE

NOMINAL CLASS	OFFICIAL CLASS	ENGINE NUMBERS	Boiler Pressure		EASTWARD			WESTWARD				EASTWARD				WESTWARD		
				El Paso-Gallinas Tucumcari-Gallinas*	Douglas-Cazador Rodeo-Pratt Hachita-Continental Ford-Mimbres Arena-Altair Mt. Riley-Potrillo Hereford-Naco	Mescal-Fairbank Bisbee Jct.-Douglas Chiricahua-Rodeo Mimbres-Arena Potrillo-El Paso	Fairbank-Hereford Naco-Bisbee Jct. Cazador-Chiricahua Pratt-Hachita Continental-Ford Altair-Mt. Riley	El Paso-Mastodon Playas-Antelope Apache-Cazador Douglas-Bisbee Jct. Rodeo-Apache	Noria-Potrillo Columbus-Mimbres Ford-Savoya Victorio-Hachita Hachita-Vista	Mastodon-Noria Savoya-Victorio Fairbank-Mescal Altair-Columbus	Potrillo-Altair Mimbres-Ford Vista-Playas Antelope-Rodeo Cazador-Douglas Bisbee Jct.-Fairb'k Mescal-Tucson	Tucson-Mescal	Wilna-Myndus Aden-El Paso	Lisbon-Hawkins	Lordsburg-Lisbon Hawkins-Wilna Myndus-Aden	El Paso-Strauss Afton-Aden	Aden-Myndus Wilna-Lordsburg	Myndus-Wilna Strauss-Afton
T-36	T—63-20/26-118	2102 to 2104	190		1500	6000	1900	1600	2050	3050	6000	1500	6000	2500	3300	2500	6000	2800
T-37	T—70-24/28-146-S	2105 and 2106	176		2000	6000	2550	2150	2750	4050	6000	2000	6000	3350	4400	3350	6000	3750
TW-3	TW—50-20/26-120	2932 to 2945	170		1600	6000	2050	1750	2200	3250	6000	1600	6000	2650	3500	2650	6000	2950
C-8, 9, 10	C—57-22/30- 192-S 194-S 200-SF	2700 to 2860 2513 to 2599	210		2500	8000	3200	2700	3450	5100	8000	2500	8000	4150	5500	4150	8000	4650
C-18	C—57-22/28-169-S	3400 to 3409	200	2300														
C-19	C—57-22½/28-178-S	3410 to 3426	200	2400	2400	8000	3100	2600	3350	4850	8000	2400	8000	4000	5250	4000	8000	4450
P-12	P—73-27/28-189-SF	3120 to 3129	190	2600	2600	8000	3350	2800	3600	5300	8000	2600	8000	4350	5750	4350	8000	4900
MK-5, 6	MK—63-26/28-210-SF	3241 to 3277	210	3150	3150	8000	4050	3400	4350	6400	8000	3150	8000	5250	6900	5250	8000	5850
MK-7, 8, 9	MK—63-29/30- 257-SF 247-S	3300 to 3324	176	3400	3500	8000	4450	3800	4800	7050	8000	3500	8000	5800	7650	5800	8000	6500
F-1	F—63-27½/32-273-S-278-SF	3600 to 3652	200	3700	3700	10000	4750	4000	5100	7450	10000	3700	10000	6100	8050	6100	10000	6850
F-3	F—63-29½/32-307-S	3653 to 3667	200	4200	4200	10000	5400	4550	5800	8500	10000	4200	10000	7000	9200	7000	10000	7800
F-4, 5	F—63-29½/32 306/B-61-SF 319/B-62-SF	3668 to 3768	200	4400	4750	10000	6100	5150	6550	9550	10000	4750	10000	7850	10000	7850	10000	8800
MT-1, 3, 4	MT—73-28/30-246/B-60-SF	4300 to 4362	210	3600	3800	10000	4850	4100	5250	7700	10000	3800	10000	6300	8300	6300	10000	7050
MT-2	MT—73-29/30-262-SF	4385 to 4390	210	3550	3550	10000	4600	3850	4950	7300	10000	3550	10000	5950	7900	5950	10000	6700
SP-1 SP-2, 3	SP—63-25/28-32-316/B-60-SF SP—63-25/28-32-317/B-61-SF	5000 to 5015 5016 to 5048	225	5000	5350	10000	6850	5800	7350	10000	10000	5350	10000	8850	10000	8850	10000	10000
ALLOWANCE FOR EMPTY AND UNDERLOADED CARS		LESS THAN 40 Ms		6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
		40 TO 50 Ms		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

OTHER LINES

NOMINAL CLASS	OFFICIAL CLASS	ENGINE NUMBERS	Boiler Pressure	Bisbee Jct.-Bisbee Lewis Springs-Ft. Huachuca Fairbank-Tombstone Burro Mt. Jct.-Tyrone	Bisbee-Bisbee Jct. Ft. Huachuca-Lewis Springs Tombstone-Fairbank Elgin-Fairbank Sonoita-Calabasas	Tyrone-Burro Mt. Jct. Fairbank-Sonoita Calabasas-Elgin Benson-Benson Jct. Douglas-Cochise Benson Jct.-Benson	Cochise-Douglas Hachita-Guthrie Duncan-Hachita So. Siding-Duncan	Guthrie-So. Siding Clifton-So. Siding	So. Siding-Clifton	Tucumcari-Campana Cabeza-Dawson	Campana-Cabeza	Dawson-Taylor Mills-Canadian	Taylor-Mills Canadian-Tucumcari	Alamogordo-Russia	Russia-Alamogordo	Carrizozo-Capitan	Capitan-Carrizozo			
T-36	T—63-20/26-118	2102 to 2104	190	870	6000	1050	1570	800	6000	1350	450	3000	1500							
T-37	T—70-24/28-146-S	2105 and 2106	176	1150	6000	1450	2100	1050	6000											
TW-3	TW—50-20/26-120	2932 to 2945	170	940	6000	1150	1700	860	7000											
C-8, 9, 10	C—57-22/30- 192-S 194-S 200-SF	2513 to 2599 2700 to 2860	210	1470	8000	1770	2640	1350	8000											
C-18	C—57-22/28-169-S	3400 to 3409	200							1950	975	5250	2625							
C-19	C—57-22½/28-178-S	3410 to 3426	200	1430	8000	1700	2530	1310	8000	2050	1025	5500	2750							
P-12	P—73-27/28-189-SF	3120 to 3129	190	1490	8000	1790	2720	1340	8000											
MK-5, 6	MK—63-26/28-210-SF	3241 to 3277	210	1850	10000		3100			2650	1325	7250	3625							
MK-7, 8, 9	MK—63-29/30- 247-S 257-SF	3300 to 3324	176	2070	10000		3450													
F-1	F—63-27½/32-273-S-278-SF	3600 to 3652	200	2190	10000															
F-3	F—63-29½/32-307-S	3653 to 3667	200	2490	10000															
F-4, 5	F—63-29½/32 306/B-61-SF 319/B-62-SF	3668 to 3768	200	2770	10000															
C-14	C—46-21/24-125	2504	160											245	8000	340	940			
C-15	C—50-21/26-126	2505 to 2508	160											230	8000	325	930			
C-17	C—51-21½/28-160	2510, 2511	180											320	8000	435	1160			
ALLOWANCE FOR EMPTY AND UNDERLOADED CARS		LESS THAN 40 Ms.		3	6	3	6	3	6	6	6	6	6	3	3	3	3			
		40 Ms. TO 50 Ms.		0	3	0	3	0	3	3	3	3	3	0	0	0	0			

*NOTE: Ratings for districts Gallinas to El Paso and Gallinas to Tucumcari will be car limit instead of Ms.

These ratings include the total weight of train, exclusive of engine and tender, which the different classes of locomotives will haul in direction indicated between the stations shown.

Example. — Consolidation engine having 57-inch drivers, Cylinders 22-inch diameter and 30-inch stroke, and weighing 187,000 pounds on Drivers:

$$\text{C-57}\frac{22}{30}\text{187}$$

CLASS "C"—Consolidation engine
"T"—Ten-wheelers
"M"—Moguls
"Mk"—Mikado
"TW"—Twelve-wheelers

"E"—Eight-wheelers
"P"—Pacific Type
"F"—2-10-2
"Mt."—Mountain
"SP"—4-10-2



MAP OF THE RIO GRANDE DIVISION

SOUTHERN PACIFIC COMPANY

SEPTEMBER 1930

R.M.H.

SCALE IN MILES

10 5 0 10 20 30 40 50 60 70 80 90 100
ARIZ.
NEW MEX.
TEXAS
OKL.
MEXICO
COCONINO
NAVAJO
APACHE
GILA
PINAL
GRAHAM
GREENLEE
PIMA
COCHISE
SAN JUAN
RIO ARRIBA
TAOS
COLFAX
UNION
MORA
HARDING
SAN MIGUEL
McKINLEY
SANDOVAL
SANTA FE
BERNALILLO
VALENCIA
TORRANCE
GUADALUPE
QUAY
CURRY
DE BACA
ROOSEVELT
CATRON
SOCORRO
LINCOLN
CHAVES
SIERRA
GRANT
LUNA
HIDALGO
DONA ANA
OTERO
LEA
NAVAJO INDIAN RES.
HOPI INDIAN RES.
FORT APACHE INDIAN RES.
SAN CARLOS INDIAN RES.
MESCALERO APACHE INDIAN RESERVATION
TUCSON
NOGALES
DOUGLAS
BISBEE
LORDSBURG
DEMING
EL PASO
ALAMOGORDO
CARRIZOZO
TUCUMCARI
SANTA ROSA
DAWSON
SANTA FE
ALBUQUERQUE
SOCORRO
SILVER CITY
CLIFTON
ROSWELL
CLOVIS
LAS CRUCES
GALLUP
FLAGSTAFF
HOLBROOK
WINSLOW
DALHART
AMARILLO
CAPITAN
CLOUDCROFT